

| s/n | Material | Description | L Mfr no | L Mfr | SOH |
|-----|----------|--|------------------|-----------|-------|
| 1 | 153605 | COMMUNICATION SYSTEM EQUIPMENT | A2UL16316 | KOKUSAI | 3 |
| 2 | 153904 | POWER SUPPLY:AUXILIARY POWER SUPPLY ASSE | H80-3821 | FUJI | 1 |
| 3 | 155205 | DIODE CONVERTER | ET219 | FUJI | 3 |
| 4 | 155504 | ENGINE,WIPER:B/SIDE (R-HAND) | 1928211801101 | NABCO | 4 |
| 5 | 155918 | COUPLING:6MM X 1/8 BSPT,S STEEL,MALE | SS-6 M 0-1-2 RT | SWAGelok | 34 |
| 6 | 156005 | FITTING 3/8" X 6 | 5481-9031893-02 | NABCO | 6 |
| 7 | 156507 | TRANSFORMER,INVERTER:2.6 KVA 50 HZ | H80-54922-17 | FUJI | 2 |
| 8 | 157518 | TRANSISTOR (CONVERTER) DRIVE | HN48438 | FUJI | 4 |
| 9 | 157809 | VALVE,MAGNETIC:110V DC | 89 910 | NABCO | 21 |
| 10 | 158019 | BRACKET,DOOR DRIVING:(A) | 1957-2119889-01 | NABCO | 55 |
| 11 | 158107 | BRACKET,DOOR DRIVING:(B) ASSY | 1957-2119890-01 | NABCO | 55 |
| 12 | 158318 | PINION & RACK BI-PARTING MECHANISM ASSY: | 1951-2118604-01 | NABCO | 14 |
| 13 | 158801 | COCK:CUT-OUT COCK,3/8 BSP FEMALE,BRONZE | 1826-3097230-06 | NABCO | 1 |
| 14 | 158908 | COCK:CUT-OUT COCK,3/8" WITH SIDE VENT | 1832-3022910-01 | NABCO | 1 |
| 15 | 159302 | VALVE,CHECK: | 1821-3075001-05 | NABCO | 20 |
| 16 | 159505 | GASKET:PRESSURE GAUGE DUPLEX | 1084-4009032-01 | NABCO | 150 |
| 17 | 159708 | SPRING:12 X 0.425 X 27.7 | 1071-4070325-01 | NABCO | 46 |
| 18 | 159804 | SPRING 36X29.6X72 | 1071-4070329-01 | NABCO | 32 |
| 19 | 160004 | FILTER:FOR NF-3 PRESSURE REGULATING VALV | 1090-4075097-01 | NABCO | 47 |
| 20 | 160303 | SPRING 8 X 0.39 X 30. | 1071-4070324-01 | NABCO | 24 |
| 21 | 160901 | VALVE FOR P CHECK VALVE | 1075-4041049-03 | NABCO | 50 |
| 22 | 161218 | SPRING | 1851-4078996-01 | NABCO | 10 |
| 23 | 161808 | SHAFT SLIDE | 1G4998-0-000 | KHI | 4 |
| 24 | 161904 | BEARING:SLIDE BALL BEARING,30MM BORE | SL-30UU | OZAK | 8 |
| 25 | 162018 | BEARING:SLIDE BALL BEARING,50MM BORE | SL-50UU | OZAK | 8 |
| 26 | 162202 | DEVICE LOCKING ASSY. | 1G0153-0-000 | KHI | 1 |
| 27 | 162309 | CLUTCH ASSEMBLY | 1G3975-0-000 | KHI | 3 |
| 28 | 162501 | HANDLE FOR WINCH ASSEMBLY OF EMERGENCY D | 2G4976-0-000 | KHI | 4 |
| 29 | 162608 | SLOW DOWN | 1G4111-0-000 | KHI | 2 |
| 30 | 162704 | ROLLER ASSEMBLY (1) | - | KHI | 2 |
| 31 | 162819 | ROLLER ASSEMBLY (2) | - | KHI | 2 |
| 32 | 162907 | SWITCH | 2V5014-0-0 | KHI | 1 |
| 33 | 163002 | GUIDEWAY ASSEMBLY. | 1G3961-0-000 | KHI | 2 |
| 34 | 163109 | CASTOR:25MM DIA WHEEL FOR EMU DETRAINING | 1P393962 | KHI | 32 |
| 35 | 163504 | PANEL SWITCH EMERGENCY | 1 P 393222 | TOYO | 1 |
| 36 | 170202 | WASHER,FLAT:M16 X 5MM THK(ELECTRO-PLATED | 330608 | STONE | 1,434 |
| 37 | 170907 | SWITCH PRESSURE | 709458 | STONE | 13 |
| 38 | 171109 | COMPONENTS FOR PRINTED CIRCUIT BOARD | 336810 | STONE | 6 |
| 39 | 173307 | GASKET SET:FOR EMU AIR CON COMPRESSOR | 709556 | STONE | 3 |
| 40 | 173518 | VALVE,CAPACITY CONTROL: | 709558 | STONE | 12 |
| 41 | 173905 | COIL,MAIN POLE: | 044000173905 | CGT | 17 |
| 42 | 174019 | COIL,INTERPOLE:69 TURNS,3 X 3MM SQ WIRE | T-1048-21 | STONE | 11 |
| 43 | 174705 | EVAPORATOR UNIT:COMPLETE | E3-3068 | RYON ASIA | 35 |
| 44 | 174908 | DISTRIBUTOR:FOR EVAPORATOR COIL | 709521 | STONE | 6 |
| 45 | 177201 | BUTTON PUSH - RESET (PB) | 707177 | STONE | 22 |
| 46 | 177404 | METER (HRI/HR2) | 709206 | STONE | 10 |
| 47 | 177607 | RESISTANCE:470 OHM,5% (GOLDEN COLOUR) | 709514 | STONE | 19 |
| 48 | 177703 | COMPONENTS - FOR SENSOR MODULE PRINTED | 336811 | STONE | 3 |
| 49 | 178108 | COIL EVAPORATOR | 338684 | STONE | 4 |
| 50 | 178319 | SWITCH FOR EMERGENCY DAMPERASSY. & AIR-C | 709441 | STONE | 4 |
| 51 | 178706 | CONNECTOR:4 CONTACT 12AWG | MS3102E18-10P | ITTCANNO | 4 |
| 52 | 178909 | FILTER,AIR:FOR EMERGENCY DAMPER ASSY | 336054 | STONE | 2 |
| 53 | 179207 | FUSE:(600A X 2) FB-S738B. | FB-S738B | MELCO | 13 |
| 54 | 234202 | ROD FOR LEVELLING VALVE | 5077397 | DUEWAG | 11 |
| 55 | 234405 | STOP,LATERAL:FIX | 5056586 | DUEWAG | 8 |
| 56 | 234608 | ROD,AXLE:RD40 X 1030,FOR HORNSTAY | 3057623 | DUEWAG | 25 |
| 57 | 235504 | DOOR LEAF (LEFT) FOR DT-CAR | 0 F 0046-1 A 000 | KHI | 3 |
| 58 | 235619 | DOOR LEAF (RIGHT) FOR DT-CAR | 0 F 0046-2 A 000 | KHI | 3 |
| 59 | 235803 | DOOR LEAF A-SIDE | 0 F 0107-1-000 | KHI | 3 |
| 60 | 235918 | DOOR LEAF B-SIDE | 0 F 0107-2-000 | KHI | 3 |
| 61 | 236101 | WINDOW:CAB SIDE DOOR WINDOW | 2F4864-2-000 | KHI | 5 |
| 62 | 236208 | DOOR:PARTITION DOOR ARRANGEMENT | 1H2675-0-000 | KHI | 3 |
| 63 | 236718 | CONSOLE DESK ASSY: | 1R4267-0-000 | KHI | 5 |
| 64 | 237008 | SPRING,AUXILIARY:DRM 90 X 62,RUBBER | 3P108308-3169 | KHI | 83 |
| 65 | 237307 | PIECE DISTANCE | 2P105111-3309 | KHI | 8 |
| 66 | 237403 | PLATE,LOWER COVERING:FOR CENTRE PIVOT AS | 2P105077-3288 | KHI | 1 |
| 67 | 237702 | PIPE:SEAMLESS,1/8" NB,SCH 40(S STEEL) | 2P105077-3288 | KHI | 1 |
| 68 | 237809 | PIPE:SEAMLESS,1/4" NB,SCH 40(S STEEL) | 70.2 | KHI | 5 |
| 69 | 237905 | TEE,PIPE:1/8 BSP X 28TPI(S STEEL)FEMALE | 70.2 | KHI | 2 |
| 70 | 238019 | TEE,PIPE:1/4 BSP X 19TPI(S STEEL)FEMALE | 70.2 | KHI | 58 |

| | | | | | |
|-----|--------|--|----------------|------------|-----|
| 71 | 238318 | SOCKET:1/2 BSPT X 14 TPI (S STEEL) FEMAL | 0U0041-3-005 | KHI | 1 |
| 72 | 239409 | PIPE:SEAMLESS,1/2" NB,SCH 40(S STEEL) | 72.3 | KHI | 2 |
| 73 | 240119 | CONTACTOR: | SB2N/5-Z75 | KHI | 10 |
| 74 | 240709 | TIMER,RELAY:15 SEC | TD15 SEC | TOTTORI | 3 |
| 75 | 240805 | RELAY TIME DELAY - TS TYPE (20 SECONDS). | - | KHI | 7 |
| 76 | 240901 | THYRISTIMER:60 SEC 100V DC | RES 3Z 60S | FUJI | 7 |
| 77 | 241007 | CIRCUIT BREAKER:1P, 30A | - | KHI | 38 |
| 78 | 241103 | CIRCUIT BREAKER:2P, 150A | - | KHI | 4 |
| 79 | 241701 | BUSH:INSULATION BUSH,SIZE 19 | - | KHI | 50 |
| 80 | 241808 | BUSH:INSULATION BUSH,SIZE 25 | - | KHI | 85 |
| 81 | 241904 | BUSH:INSULATION BUSH,SIZE 31 | - | KHI | 160 |
| 82 | 242018 | BUSH:INSULATION BUSH,SIZE 39 | - | KHI | 25 |
| 83 | 242106 | BUSH:INSULATION BUSH,SIZE 51 | - | KHI | 30 |
| 84 | 242202 | TUBE:SEAMLESS COPPER,3/8" OD X 0.0354" T | OSO155-0-005 | KHI | 45 |
| 85 | 242608 | TUBE:SEAMLESS COPPER ALLOY, 1 1/4" OD | OSO155-0-001 | KHI | 7 |
| 86 | 243301 | CONDUIT:METAL CONDUIT,25MM | 75-10 | KHI | 22 |
| 87 | 243408 | CONDUIT:THIN COPPER WIRE,SIZE 31 | - | KHI | 147 |
| 88 | 243504 | CONDUIT:METAL CONDUIT,39MM | - | KHI | 12 |
| 89 | 243619 | CONDUIT:METAL CONDUIT,51MM | - | KHI | 24 |
| 90 | 243707 | COUPLING:UNION,1/4" BRAZED FEMALE (BRASS | 0U0042-2-001 | KHI | 12 |
| 91 | 243803 | COUPLING:UNION,3/8" BRAZED FEMALE (BRASS | 0U0042-3-001 | KHI | 40 |
| 92 | 244208 | TEE:TUBE,UNION,3/8" BRAZED(BRASS)FEMALE | 0U0042-3-002 | KHI | 18 |
| 93 | 244304 | TEE:TUBE,UNION,1/2" BRAZED(BRASS)FEMALE) | 0U0042-4-002 | KHI | 25 |
| 94 | 244419 | FITTINGS:FLARED TUBE,SAE 37DEG,3/8"BSP,M | 0U0042-12 | KHI | 1 |
| 95 | 244507 | FITTINGS:FLARED TUBE,SAE 37DEG,1/2"BSP M | 0U0042-16 | KHI | 2 |
| 96 | 244902 | FITTINGS:FLARED TUBE,SAE 37DEG,3/8"BSP,F | 0U0042-5-0 | KHI | 17 |
| 97 | 245008 | FITTINGS:FLARED TUBE,SAE 37DEG,1/2"BSP,F | 0U0042-8-0 | KHI | 1 |
| 98 | 245219 | COUPLING:UNION,1/2" X 3/8 BSP (BRASS) FE | 0U0042-7-0 | KHI | 5 |
| 99 | 245518 | LUG TERMINAL | PSH2-5 | KHI | 50 |
| 100 | 247003 | ELBOW:UNION,1/4" X 1/4 BSPP (BRASS) FEMA | 0U0042-3-0 | KHI | 2 |
| 101 | 247118 | ELBOW:1/2" X 3/8 BSPT (BRASS) F & M | - | FUJIKIN | 12 |
| 102 | 247206 | ELBOW:UNION,5/8" X 3/8 BSPP (BRASS) FEMA | 0U0042-6-0 | KHI | 10 |
| 103 | 247302 | ELBOW:UNION,5/8" X 1/2 BSPP (BRASS) FEMA | 0U0042-7-0 | KHI | 35 |
| 104 | 247409 | ELBOW:UNION,3/4" X 3/4 BSPP (BRASS) FEMA | 0U0042-8-0 | KHI | 17 |
| 105 | 247919 | TEE:TUBE,UNION,3/4" X 3/4" X 3/4 BSP(BRA | 0U0042-10-008 | KHI | 25 |
| 106 | 248102 | ELBOW,TUBE:UNION,1/4" BRAZED FEMALE END, | 0U0042-2-0 | KHI | 2 |
| 107 | 248209 | ELBOW,TUBE:UNION,3/8" BRAZED FEMALE END, | 0U0042-3-0 | KHI | 2 |
| 108 | 249201 | TEE,PIPE:3/4 BSP X 14TPI(S STEEL)FEMALE | 0U0041-4-001 | KHI | 33 |
| 109 | 249703 | ELBOW:1/2 BSPP X 14 TPI (S STEEL) FEMALE | 0U0041-3-0 | KHI | 119 |
| 110 | 250018 | FRAME:OIL GUAGE FRAME,STEEL | H459509002 | mitsubishi | 9 |
| 111 | 250202 | SOCKET:3/4 BSPT X 14 TPI (S STEEL) FEMAL | 0U0041-4-005 | KHI | 11 |
| 112 | 250608 | BUSH:REDUCING,3/4 BSPT X 3/8 BSPT,S STEE | 0U0041-8-008 | KHI | 35 |
| 113 | 251301 | COUPLING:UNION,1/2 BSPT (S STEEL) FEMALE | 0 U 0041-3-011 | KHI | 8 |
| 114 | 251408 | COUPLING:UNION,3/4 PT (S STEEL) FEMALE | 0U0041-4-011 | KHI | 13 |
| 115 | 251619 | ELBOW:UNION,3/8 BSPP X 19TPI (S STEEL) F | 0U0041-3-0 | KHI | 6 |
| 116 | 251707 | ELBOW:UNION,1/2 BSPP X 14TPI (S STEEL) F | 0U0041-3-0 | KHI | 77 |
| 117 | 251803 | ELBOW:UNION,3/4 BSPP X 14TPI (S STEEL) F | 0U0041-4-0 | KHI | 15 |
| 118 | 252208 | ELBOW,TUBE:3/4" BRAZED FEMALE END,COPPER | 1U2689-4-002 | KHI | 17 |
| 119 | 252304 | ELBOW,TUBE:1 1/4" BRAZED FEMALE END,COPP | 1U2689-5-002 | KHI | 73 |
| 120 | 252603 | PLUG:1 BSP,MAGNETIC,ZINC-PLATED | 1U2689-5-0 | mitsubishi | 12 |
| 121 | 253104 | SOCKET:3/8" (WROUGHT COPPER) FEMALE,TYPE | 1U2689-2-005 | KHI | 104 |
| 122 | 253403 | COUPLING:UNION,3/8" BRAZED FEMALE,BRASS/ | 1U2689-2-0 | KHI | 2 |
| 123 | 253702 | ADAPTER:1/4 BSPT x 7.5MM ID,COPPER,TYPE | 1U2689-1-0 | KHI | 1 |
| 124 | 253809 | ADAPTER:1/4 BSPT x 9.6MM ID,COPPER,TYPE | 1U2689-1-0 | KHI | 2 |
| 125 | 254019 | COUPLING:SIZE 31 | C8330 31 | KHI | 45 |
| 126 | 254107 | COUPLING:SIZE 19,FOR CONDUIT | C8357 19 | KHI | 3 |
| 127 | 254203 | COUPLING:SIZE 25,FOR CONDUIT | C8357.25 | KHI | 5 |
| 128 | 254318 | COUPLING:SIZE 31,FOR CONDUIT | C8357 31 | KHI | 10 |
| 129 | 254406 | COUPLING:SIZE 39,FOR CONDUIT | - | KHI | 4 |
| 130 | 254502 | COUPLING:SIZE 51,FOR CONDUIT | - | KHI | 9 |
| 131 | 254609 | NUT:LOCK,JIS C833,SIZE:19(ZINC-PLATED ST | - | KHI | 25 |
| 132 | 254705 | NUT:LOCK,JIS C833,SIZE:25(ZINC-PLATED ST | - | KHI | 75 |
| 133 | 254801 | NUT:LOCK,JIS C833,SIZE:31(ZINC-PLATED ST | - | KHI | 25 |
| 134 | 254908 | NUT:LOCK,JIS C833,SIZE:39(ZINC-PLATED ST | - | KHI | 35 |
| 135 | 255003 | NUT:LOCK,JIS C833,SIZE:51(ZINC-PLATED ST | - | KHI | 10 |
| 136 | 255118 | CABLE:1 CORE X 80SQ.MM,1500V (LS/HF/FRT) | WPM2J-HF | mitsubishi | 485 |
| 137 | 255206 | BUSH:INSULATION BUSH,SIZE 31 | - | KHI | 10 |
| 138 | 255302 | BUSH:INSULATION BUSH,SIZE 51 | - | KHI | 5 |
| 139 | 255505 | CABLE:1 CORE X 150SQ.MM,1500V (LS/HF/FRT | WPM2J-HF | mitsubishi | 66 |
| 140 | 255804 | CABLE:1 CORE X 250SQ.MM,1500V (LS/HF/FRT | WPM2-HF | mitsubishi | 107 |
| 141 | 255919 | CABLE:1 CORE X 150 SQ.MM,1500V (LS/HF/FR | WPM2-HF | mitsubishi | 300 |

| | | | | | |
|------|---------|--|---------------|---------|-------|
| 142 | 256401 | CABLE:1 CORE X 22 SQ.MM,1500V (LS/HF/FRT | WPL2-HF | mitsubi | 79 |
| 143 | 256508 | CABLE:1 CORE X 14SQ.MM,1500V (LS/HF/FRT) | WPL2-HF | mitsubi | 35 |
| 144 | 256604 | CABLE:1 CORE X 3.5SQ.MM,1500V (LS/HF/FRT | WPL2-HF | mitsubi | 48 |
| 145 | 256903 | CABLE:1 CORE X 8SQ.MM,600V (LS/HF/FRT) | WPL1-HF | mitsubi | 490 |
| 146 | 257201 | CABLE:1 CORE X 2SQ.MM,600V (LS/HF/FRT) | WPL1-HF-2B | mitsubi | 134 |
| 147 | 257308 | CABLE:1 CORE X 1.25SQ.MM,600V (LS/HF/FRT | WPL1-HF | mitsubi | 947 |
| 148 | 257607 | CABLE:2 CORE X 1.25SQ.MM (1 PAIR) LS/HF/ | KCEPS-HF | mitsubi | 482 |
| 149 | 257703 | CABLE:4 CORE X 1.25SQ.MM (2 PAIRS)LF/HF/ | KCEPS-HF | mitsubi | 426 |
| 150 | 257906 | CABLE:6 CORE X 1.25SQ.MM (3 PAIRS) LS/HF | TGCPS-F | mitsubi | 1,129 |
| 151 | 258001 | RETAINER FOR SIDE WINDOW | 1E2688-0-005 | KHI | 52 |
| 152 | 258108 | CUSHION - SIDE WINDOW. | 1E2688-0-012 | KHI | 106 |
| 153 | 258503 | RETAINER FOR SIDE DOOR WINDOW | 1F2844-1-002 | KHI | 77 |
| 154 | 258618 | CUSHION,2670MM LG FOR SIDE DOOR WINDOW | 1E2688-0-004 | KHI | 68 |
| 155 | 258802 | CUSHION:L-SECTION,FOR CAB SIDE DOOR WIND | 1E2688-0-004 | KHI | 12 |
| 156 | 258909 | EDGE:CAB SIDE DOOR,CR RUBBER,BLACK | 2F5250-1-000 | KHI | 12 |
| 157 | 259004 | RUBBER EDGE: SIDE CAB DOOR (CR RUBBER,BL | 2F5123-1-001 | KHI | 50 |
| 158 | 259119 | CUSHION - CAB DOOR. | - | KHI | 2 |
| 159 | 259303 | CUSHION:CAB DOOR,SET OF 3 | 1E2688-0-006 | KHI | 7 |
| 160 | 259506 | RUBBER - HEAD LIGHT. | 1E2688-0-018 | KHI | 3 |
| 285 | 360401 | SLEEVE, PUSH | B87186/001 | WBL | 77 |
| 292 | 362618 | PISTON FOR TREAD BRAKE UNIT | C77048/001 | WBL | 60 |
| 293 | 362802 | YOKE:WITHOUT MEC PARKING BRAKE | C77047/001 | WBL | 48 |
| 1250 | 2256309 | SPOOL:FOR 5-PORT SPOOL VALVE RGS H755/9/ | J80068/30 | WBL | 134 |
| 971 | 1961508 | VALVE:CHANGEOVER VALVE CPT | J75108/1277 | WBL | 18 |
| 854 | 1892602 | SEAT: | J80033/162 | WBL | 354 |
| 322 | 378505 | GENERATOR,FREQUENCY:COMPLETE | D76202/005 | WBL | 2 |
| 325 | 413702 | LINK SUSPENSION COMPLETE | D76747/001 | WBL | 3 |
| 299 | 367507 | PISTON COMPLETE FOR PARKING BRAKE UNIT | B87222/001 | WBL | 9 |
| 1203 | 2192202 | PIN RATCHET FOR TREAD BRAKE CYLINDER W/P | J78976/001 | WBL | 64 |
| 1083 | 2022406 | MOTOR BOARD W/WIRING HARNESS | D85491/002 | WBL | 5 |
| 247 | 342801 | VALVE,SAFETY:3.5 BAR,FOR INTERCOOLER | J 74341/5/50 | WBL | 29 |
| 198 | 271601 | SWITCH,PRESSURE:FOR AIR BRAKE PROVING | B87153/003 | WBL | 8 |
| 622 | 1668504 | BODY:FOR RELAY VALVE | D76677/001 | WBL | 11 |
| 240 | 341403 | HIGH PRESSURE CYLINDER HEAD COMPLETE | B79162/7 | WBL | 9 |
| 216 | 277501 | BUSH:FOR LOAD CUT-OFF VALVE | A74114/303 | WBL | 258 |
| 1575 | 3146101 | PANEL:TOP ENCLOSURE, FOR AIR COMPRE | D 76730/001 | WBL | 44 |
| 214 | 277309 | SEAT,VALVE:FOR LOAD CUT-OFF VALVE | J73524/4 | WBL | 348 |
| 291 | 362503 | CASING:BRAKE CASING | D76725/001 | WBL | 10 |
| 180 | 263409 | SOCKET,LAMP STARTER:LAMP SOCKET | FS-257 | TOSHIBA | 2 |
| 181 | 263708 | LENS | MEC250091-6 | MORIO | 10 |
| 182 | 263919 | LENS:TAIL LIGHT LENS c/w RED FILTER & PA | 2P394853-6701 | MORIO | 27 |
| 183 | 264006 | SOCKET LAMP | E9M28866 | MORIO | 20 |
| 184 | 264508 | CAP,VENT: | - | HONDA | 131 |
| 310 | 373405 | CONTACT MOVING | J80077/2 | WBL | 181 |
| 625 | 1668918 | CAP, TOP:FOR SOLENOID VALVE,BRASS | J80070/3 | WBL | 524 |
| 286 | 360508 | BUSH:FRONT GUIDE BUSH,STEEL | J78920/001 | WBL | 33 |
| 224 | 280604 | HINGE:COMPLETE,SPECIAL FOR EP CONVERTER | J78554/001 | WBL | 16 |
| 1482 | 2700908 | LID:FOR TWIN TOWER AIR DRYER | D 85441/008 | WBL | 160 |
| 300 | 368008 | WASHER,FLAT:M42 X 2MM THK(STEEL,BLACK) | J78975/001 | WBL | 162 |
| 241 | 341518 | CYLINDER HEAD, COMPLETE L.P. | B79166/3 | WBL | 5 |
| 297 | 365907 | COVER | B87195/001 | WBL | 18 |
| 623 | 1668707 | COVER FOR RELAY VALVE | D76603/001 | WBL | 64 |
| 1091 | 2048008 | COVER FOR MOTOR-DRIVEN AIR COMPRESSOR | C 75361/7 | WBL | 8 |
| 289 | 361519 | SPRING:CLUTCH,59 o/d x 6 c/s x 55MM LG | A87825/149 | WBL | 86 |
| 196 | 271206 | CAP:BEARING CAP,GW-SIDE | HL47867001 | MELCO | 12 |
| 1310 | 2583609 | PIPE,VENT:CRANKCASE OF AIR COMPRESSOR | J72723/5 | WBL | 5 |
| 231 | 336401 | IMPELLER,FAN:FOR AIR COMPRESSOR | LM 25 TF | WBL | 4 |
| 280 | 358918 | VALVE:21MM o/d x 19MM i/d,STEEL | J70919/1 | WBL | 12 |
| 1313 | 2584003 | BRACKET,FLEXIBLE MOUNTING:FOR AIR COMPRE | C76091/27 | WBL | 5 |
| 235 | 339602 | PIN,GUDGEON:18.4MM ID X 25.4MM OD X 92MM | A88313/1 | WBL | 31 |
| 634 | 1670006 | BODY,CENTRE:FOR LOAD CUT OFF VALVE | C76058/2 | WBL | 10 |
| 203 | 273308 | CAP:BEARING CAP,PW-SIDE | HW43228001 | MELCO | 6 |
| 1295 | 2503808 | FILTER COMPLETE,OIL:FOR AIR COMPRESSOR | J71475/10 | WBL | 10 |
| 287 | 361201 | SOCKET CONTROL | C77046/001 | WBL | 25 |
| 238 | 341104 | BUSH,CLAMPING:FOR AIR COMPRESSOR'S SUCTI | J73728/2 | WBL | 20 |
| 207 | 275004 | CAP:BEARING CAP,GM-SIDE | HL47686003 | MELCO | 10 |
| 1314 | 2584118 | CONNECTION,OIL FILLER:FOR AIR COMPRESSOR | C75940/102 | WBL | 8 |
| 1312 | 2583908 | BRACKET,FLEXIBLE MOUNTING:FOR AIR COMPRE | C76090/11 | WBL | 5 |
| 619 | 1668002 | RESERVOIR:COMPLETE UNIT | B80220/157 | WBL | 1 |
| 301 | 368219 | ROD:PULL ROD | J78977/001 | WBL | 23 |
| 1319 | 2585305 | HOUSING,SPRING:FOR FLOW SURGE V/V | C77277/001 | WBL | 10 |

| | | | | | |
|------|---------|--|----------------------|-------|-----|
| 324 | 378804 | ROTOR | B81463/004 | WBL | 3 |
| 199 | 271804 | FILTER ELEMENT: | 77293049 | WBL | 618 |
| 313 | 373704 | CONTACT FIXED | J80077/5 | WBL | 91 |
| 1321 | 2585508 | HOUSING,V/V:FOR CUT-OFF VALVE | C76057/21 | WBL | 8 |
| 1589 | 3265805 | CLAMP,CABLE:C | C85251/011 | WBL | 100 |
| 1090 | 2047902 | BRACKET:MOUNTING BRACKET FOR AIR COMPRES | D75139/101 | WBL | 1 |
| 290 | 361607 | SPRING:ADJUSTER,51.5MM o/d x 60MM LG,3 C | A87824/184 | WBL | 112 |
| 629 | 1669304 | PLATE,MOUNTING:FOR PRESSURE SWITCH | B87149/001 | WBL | 136 |
| 318 | 376307 | PISTON:FOR DUMP MAGNETIC VALVE | A87822/450 | WBL | 257 |
| 243 | 342318 | FLANGE: | J80071/2 | WBL | 7 |
| 167 | 260718 | COIL:INTERPOLE,FOR DRIVING MOTOR | J72665/134 | WBL | 7 |
| 1317 | 2584708 | SPRING:FOR AIR COMPRESSOR | 77775139 | WBL | 29 |
| 192 | 268605 | VALVE:5-PORT SPOOL COMPLETE | B81644/003 | WBL | 2 |
| 351 | 587104 | PISTON:FOR PRESSURE SWITCH | J78879/001 | WBL | 54 |
| 239 | 341219 | BUSH,CLAMPING:FOR AIR COMPRESSOR'S DEL V | J73729/2 | WBL | 16 |
| 228 | 281308 | HOLDER,EARTH BRUSH:FOR GEAR UNIT ASSY | HL19348-G1 | MELCO | 3 |
| 630 | 1669419 | CYLINDER:FOR PRESSURE SWITCH | B87181/001 | WBL | 12 |
| 1547 | 2787409 | PLATE FOR CHANGEOVER VALVE | J78526/003 | WBL | 15 |
| 168 | 260902 | GASKET:INTERPOLE WASHER | J72492/7 | WBL | 251 |
| 169 | 261008 | SPRING,FLAT:INTERPOLE COIL | J72493/5 | WBL | 37 |
| 188 | 267602 | SPRING,CONICAL:FOR TWIN AIR DRYER | A87903/94 | WBL | 51 |
| 564 | 1602919 | FILLER,OIL:FOR AIR COMPRESSOR | B79442/101 | WBL | 5 |
| 190 | 267901 | GASKET:FOR TIMER UNIT | D85441/003 | WBL | 221 |
| 1257 | 2274419 | COVER:AIR INLET FILTER COVER | J77235/2 | WBL | 8 |
| 1477 | 2699708 | BODY:CHECK VALVE BODY FOR TWIN TOWER | C 77036/001 | WBL | 4 |
| 1320 | 2585401 | HOLDER,PISTON V/V:FOR FLOW SURGE V/V | J79361/001 | WBL | 10 |
| 248 | 343003 | BUSH | A76500/3 | WBL | 22 |
| 584 | 1648108 | SPRING:LEADER | A87823/183 | WBL | 13 |
| 1325 | 2586703 | SPACER,MOUNTING:FOR AIR COMPRESSOR | J78878/001 | WBL | 20 |
| 1196 | 2191306 | BLOCK,BEAM:FOR EP CONVERTER | J78314/001 | WBL | 32 |
| 1588 | 3260908 | CONNECTOR,MALE:SQUARE,38MM,BOX MOUNTING | C85251/011 | WBL | 6 |
| 288 | 361404 | SPRING:LEADER,48.5MM o/d x 99MM LG,5.5 C | A87824/183 | WBL | 50 |
| 1481 | 2700705 | TIE ROD:FOR TWIN TOWER AIR DRYER | A 83342/54 | WBL | 32 |
| 1326 | 2587001 | CLAMP:UPPER PIPE,FOR AIR COMPRESSOR | B87176/001 | WBL | 15 |
| 1199 | 2191605 | FOLLOWER:FOR LOAD CUT OFF VALVE | B80966/2 | WBL | 28 |
| 1324 | 2586009 | CLAMP:LOWER PIPE,FOR AIR COMPRESSOR | B87176/002 | WBL | 15 |
| 312 | 373608 | SPRING:TOGGLE FOR AUTOMATIC PRESSURE SWI | J80077/4 | WBL | 82 |
| 250 | 345308 | SEPARATOR HN74699-1 | HN74699-1 | MELCO | 205 |
| 251 | 345519 | COVER WITH CLAMP SCREW | - | MELCO | 52 |
| 252 | 345607 | BARRIER:HORIZONTAL BARRIER | HN74698-1 | MELCO | 223 |
| 253 | 345703 | BARRIER:VERTICAL BARRIER | H961547-2 | MELCO | 103 |
| 254 | 345818 | CHUTE ARC UPPER | HN74697-1 | MELCO | 147 |
| 255 | 345906 | CHUTE ARC LOWER | HU05048-1 | MELCO | 85 |
| 256 | 346204 | CAM | HN85350-G1 | MELCO | 50 |
| 257 | 347207 | FINGER | HD12321-G3 | MELCO | 31 |
| 258 | 347418 | WIRE FLEXIBLE | H397672-G2 | MELCO | 71 |
| 259 | 348605 | BEARING:15MM o/d x 12MM i/d x 26.1MM LG, | HG19251003 | MELCO | 20 |
| 260 | 348701 | ROLLER:11MM OD X 8MM ID X 11MM LG(STEEL) | HD61730006 | MELCO | 8 |
| 261 | 349106 | STARTING AIR BOX COMPRESSOR | HK43626G01 | MELCO | 1 |
| 262 | 349405 | ARC CHUTE ASSY:FOR ELECTRO-MAGNETIC CONT | HB98324G01 | MELCO | 19 |
| 263 | 349501 | GASKET:(PACKING) | HP39113-1 | MELCO | 80 |
| 264 | 349907 | FILTER REACTOR COMPLETE | HK3956G01 | MELCO | 3 |
| 265 | 350609 | COVER,COMMUTATION:WITH GASKET, TOP | HK39036G01 | MELCO | 1 |
| 266 | 351505 | SHIM - GM SIDE,COPPER ALLOY SHEET (C 280 | H678097-2 | MELCO | 21 |
| 267 | 351601 | SHIM - GM SIDE,ZINC-PLATED CARBON STEEL | H678097-3 | MELCO | 209 |
| 268 | 351919 | SHIM - PM SIDE,ZINC-PLATED CARBON STEEL | H812787-1 | MELCO | 55 |
| 269 | 353906 | CONTACTOR ELECTRO-PNEUMATIC COMPLETE | UP-2621 | MELCO | 5 |
| 270 | 354108 | RESISTOR ASSEMBLY FOR C151 (MELCO) | GRT-1 2.5 KOHMT | MELCO | 27 |
| 271 | 354407 | SWITCH,PRESSURE:FOR LINE SWITCH BOX ASSY | RL01149L06 | MELCO | 1 |
| 272 | 354706 | TERMINAL BLOCK G TYPE | RL0915OL-3 | MELCO | 4 |
| 273 | 354802 | PLUG CONNECTING | HW63006G01 | MELCO | 2 |
| 274 | 354909 | PACKING:15 X 15 | HL39196G03 | MELCO | 364 |
| 275 | 355805 | RESISTOR | RL 09986 L 03 (HW 72 | MELCO | 2 |
| 276 | 357106 | PACKING:15MM SQ | H854571001 | MELCO | 100 |
| 277 | 357202 | MODULE TIME DELAY | TDM 4E HX40558 | MELCO | 4 |
| 278 | 358205 | RESISTOR FOR C151 (MELCO) | HW26847000 | MELCO | 1 |
| 279 | 358408 | BRACKET:MOUNTING BRACKET FOR UNIT SUPPOR | M335360000 | MELCO | 40 |
| 1322 | 2585604 | FOLLOWER,DIAPHRAGM: | B80966/12 | WBL | 24 |
| 245 | 342502 | BODY:FOR OIL PUMP | J80071/3 | WBL | 7 |
| 624 | 1668803 | BASE,VALVE:VALVE BASE C/W SEAT | J80070/25 | WBL | 51 |
| 627 | 1669101 | HOUSING,SPRING:FOR PRESSURE SWITCH | B87154/001 | WBL | 9 |

| | | | | | |
|------|---------|--|------------------|------------|-------|
| 176 | 261702 | COIL,FIELD:FOR DRIVING MOTOR | J72665/133 | WBL | 2 |
| 1571 | 2950501 | ROD:PULL ROD FOR PARKING BRAKE | J 78977/002 | WBL | 20 |
| 237 | 340902 | COVER,VALVE: | B81211/1 | WBL | 8 |
| 565 | 1603604 | PLATE:TOGGLE PLATE,MILD STEEL | B81495/011 | WBL | 14 |
| 244 | 342406 | COVER:FOR OIL PUMP | J80071/4 | WBL | 7 |
| 218 | 277819 | STEM:FOR LOAD CUT OFF VALVE | J76512/1 | WBL | 19 |
| 236 | 340419 | PIN,GUDGEON:18MM ID X 25.4MM OD X 72.2MM | J73795/1 | WBL | 20 |
| 581 | 1647818 | SHIM,1" o/d x 3/16" i/d x 0.007" THK,BRO | J80077/19 | WBL | 88 |
| 314 | 373907 | SPRING CONTACT - WIRE | J80077/5 | WBL | 58 |
| 822 | 1856919 | RETAINER:SPRING RETAINER | J78555/001 | WBL | 22 |
| 294 | 363901 | BOLT:M8 X 12MM LG,SERRATED WASHER HD(ELE | TENSILOCK | EATON | 1,053 |
| 295 | 364701 | BOLT:M12 x 25MM LG,VERBUS TENSILOCK,ZINC | 1400023145 | SABWABCO | 122 |
| 1309 | 2583502 | LABEL:FOR AIR COMPRESSOR | J71357/77 | WBL | 10 |
| 177 | 262107 | BOLT:CLAMPING BOLT | J72604/2 | WBL | 15 |
| 1195 | 2191007 | HOLDER,CONTACT:FOR AUTOMATIC PRESSURE SW | J80077/8 | WBL | 20 |
| 1201 | 2191808 | SPRING,CARRIER ACTUATOR:FOR LOAD CUT OFF | J73122/22 | WBL | 19 |
| 178 | 262406 | HOLDER CARBON | J72491/14 | WBL | 5 |
| 572 | 1605204 | STRAINER,OUTER:30.25MM DIA X 1.14MM THK | A73490/4 | WBL | 92 |
| 1311 | 2583801 | BRACKET:FOR AIR COMPRESSOR | J76185/1 | WBL | 7 |
| 303 | 368809 | STRIP:RUBBER STRIP,0P390063 | P390063 | DUEWAG | 20 |
| 311 | 373501 | SPRING:FOR AUTOMATIC PRESSURE SWITCH | J80077/3 | WBL | 36 |
| 633 | 1669806 | SANDWICH PIECE:FOR LOAD CUT OFF VALVE | C76147/2 | WBL | 5 |
| 306 | 372701 | BRACKET:BREATHER ASSEMBLY BRACKET | HH27400G01 | mitsubishi | 2 |
| 307 | 372808 | COVER FOR EARTH BRUSH HOLDER | HD18563002 | mitsubishi | 15 |
| 308 | 373018 | BOLT:M16 X 30MM LG(ELECTRO)PIN HOLE ON H | HE65648003 | mitsubishi | 134 |
| 1194 | 2190901 | SPRING LINK FOR AUTOMATIC PRESSURE SWIT | J80077/10 | WBL | 20 |
| 582 | 1647906 | SHIM,1" o/d x 3/16" i/d x 0.01" THK,BRAS | J80077/20 | WBL | 38 |
| 186 | 266503 | RING,RETAINING:CIRCLIP(STAINLESS STEEL) | B81945/001 | WBL | 31 |
| 626 | 1669005 | GUIDE:SPRING GUIDE | J78822/001 | WBL | 29 |
| 215 | 277405 | CHOKE | J74174/4 | WBL | 77 |
| 742 | 1826218 | RING,CANNISTER:FOR AIR DRYER TYPE 55-70 | B81946/001 | WBL | 7 |
| 632 | 1669718 | COVER FOR LOAD CUT-OFF VALVE | J77156/1 | WBL | 18 |
| 316 | 375101 | PACKING | 1-DEC | MELCO | 9 |
| 681 | 1782606 | HANDLE:FOR BALL VALVE | J80067/33 | WBL | 10 |
| 213 | 276904 | SPRING:OUTER,MAIN FOR LOAD CUT-OFF VALVE | A87823/303 | WBL | 30 |
| 357 | 589708 | KEY | A87315/16 | WBL | 6 |
| 221 | 280006 | CHOKE | J78746/003 | WBL | 5 |
| 204 | 273607 | SPRING | A87822/472 | WBL | 13 |
| 315 | 374408 | SPRING | A87821/361 | WBL | 50 |
| 1479 | 2700203 | CHOKE:FOR TWIN TOWER AIR DRYER | J 79387/001 | WBL | 23 |
| 189 | 267709 | CHOKE:2.5MM,1/8 BSPT X 28 TPI X 8MM LG | A70123/150 | WBL | 50 |
| 246 | 342609 | SHAFT:GEAR & SHAFT ASSY | J80071/6 | WBL | 1 |
| 326 | 413905 | SOCKET,LAMP:FOR EMU SIDE LAMP | D8M20709 | MORIO | 20 |
| 327 | 414107 | LAMP SOCKET. | MAD80170 | MORIO | 5 |
| 323 | 378601 | BLOCK,TERMINAL | B87169/001 | WBL | 3 |
| 187 | 267303 | SPRING: FLAT SPRING RETAINER (SPRING STE | J77879/003 | WBL | 16 |
| 330 | 431206 | TRIM OF SALOON DOOR WINDOW CAR 1001 & 20 | 2F4864-1-016 | KHI | 9 |
| 331 | 431302 | SASH:(TRIM),FOR SALOON DOOR WINDOW | 2F4864-1-016 | KHI | 39 |
| 1200 | 2191701 | ADJUSTER:SPRING ADJUSTER FOR LOAD CUT-OF | J76510/1 | WBL | 6 |
| 333 | 453405 | COVER WITH CLAMP SCREW | 2P 394864 | MELCO | 103 |
| 334 | 453608 | COVER WITH CLAMP SCREW | - | MELCO | 30 |
| 335 | 454205 | RESISTOR FOR C151 (MELCO) | - | MELCO | 2 |
| 336 | 454301 | SEPARATOR HN74833-3 | - | MELCO | 158 |
| 337 | 536702 | TERM ASSY HJ72003-G5 | HJ72003-G5 | KHI | 90 |
| 338 | 537107 | TERM ASSY | HJ72003-G9 | KHI | 45 |
| 339 | 537203 | BOLT:M10 X 25MM LG(ELECTRO)PIN HOLE ON H | HD00337-3 | KHI | 54 |
| 340 | 564009 | DOOR LEAF (LEFT) FOR M1-CAR | 0 F 0046-1 B 000 | KHI | 5 |
| 341 | 564105 | DOOR LEAF (RIGHT) FOR M1-CAR | 0F0046-2B000 | KHI | 7 |
| 342 | 564201 | DOOR LEAF (LEFT) FOR M2-CAR | 0 F 0046-1 C 000 | KHI | 8 |
| 343 | 564308 | DOOR LEAF (RIGHT) FOR M2-CAR | 0P390046-1652 | KHI | 5 |
| 344 | 564404 | ELBOW:6MM X 1/8 BSPT (MILD STEEL) F & M | 5481-9045580-01 | KHI | 8 |
| 345 | 564607 | CARD,EXTENSION:FOR CARD TESTING | HK24865B | mitsubishi | 3 |
| 346 | 565204 | STRAINER,Y-3/8-MR | T-60205 | KHI | 7 |
| 347 | 586603 | GROMMET:17.5MM OD X 9.25MM ID | 77395564 | WBS | 20 |
| 348 | 586718 | ARM:SWITCH ARM | J78815/001 | WBS | 50 |
| 349 | 586806 | SPRING,COMPRESSION:WIRE DIA 0.098"(2.5MM | A87822/477 | WBS | 10 |
| 350 | 586902 | GASKET | J78409/001 | WBS | 55 |
| 753 | 1827704 | SPRING:6 COILS,0.600"(15.24MM) O/D | A87821/398 | WBL | 51 |
| 352 | 588406 | FILTER (CONVERTOR CONNECTION | J78779/001 | WBS | 345 |
| 353 | 588705 | TRANSFORMER (POWER SUPPLY MODULE) | B81343/2 | WBS | 2 |
| 354 | 588801 | CHOKE, ELEC | B81344/2 | WBS | 2 |

| | | | | | |
|-----|---------|--|----------------------|----------|-------|
| 355 | 589003 | WASHER,FLAT:M5 X 1.5MM THK(FIBRE) | A70115/87 | WBS | 100 |
| 356 | 589302 | BEARING:SLEEVE,BUSH,STEEL | J78905/001 | WBS | 58 |
| 194 | 270318 | VALVE:BONDED VALVE | B 87561/16 | WBL | 16 |
| 358 | 626409 | SUSPENSION ASSEMBLY,GEAR UNIT: | HH87283G05 | MELCO | 5 |
| 359 | 643102 | PANEL, CEILING FOR EMU | 1L2680-0-000 | KHI | 9 |
| 234 | 339207 | FILTERING DISK:24.56MM DIA X 1.14MM THK | A73490/3 | WBL | 87 |
| 361 | 682902 | STRIP,RUBBER: | 2P39864-5 | KHI | 35 |
| 362 | 683008 | RUBBER 2P394864-6 | 2P394864-6 | KHI | 21 |
| 363 | 683104 | RUBBER 1P392844-1 | 1P392844-1 | KHI | 11 |
| 364 | 683403 | SPRING:AIR SPRING ASSY (L) FOR M & DT CA | 5075416 | DUEWAG | 3 |
| 365 | 683518 | SPRING AIR ASSY (R)FOR MOTOR & TRAILER B | 5075408 | DUEWAG | 6 |
| 366 | 683606 | VALVE,AIR LEVELLING:C/W ROD | 5077443 | DUEWAG | 1 |
| 367 | 684406 | TOOL, EMERGENCY RELEASE | 5077443 | DUEWAG | 13 |
| 368 | 684801 | INTERIOR LINING (GREEN) M2 CAR PART 3&4 | 0C0068-4C000 | KHI | 4 |
| 369 | 685003 | INTERIOR LINING (BLUE) M1 PART 1&5 | 0C0068-5B000 | KHI | 6 |
| 370 | 685118 | INTERIOR LINING (ORANGE) DT CAR PART 2&9 | 0C0068-9A000 | KHI | 6 |
| 371 | 685302 | LINING:INTERIOR (ORANGE) DT CAR,PART 3 & | 0C0068-4A000 | KHI | 2 |
| 372 | 685409 | LINING:INTERIOR LINING,ORANGE FOR DT-CAR | 0C0068-8A000 | KHI | 2 |
| 373 | 685505 | INTERIOR LINING (BLUE) M1 CAR PART 3&4 | 0C0068-4B000 | KHI | 4 |
| 374 | 797304 | FUSE:250A | W075229 | KHI | 191 |
| 375 | 841504 | CONNECTOR KIT, J75108/1289 | J75108/1289 | KHI | 6 |
| 376 | 841619 | CONNECTOR KIT, J75108/1290 | J75108/1290 | KHI | 6 |
| 377 | 841803 | CONNECTOR KIT, J75108/1292 | J75108/1292 | KHI | 2 |
| 217 | 277704 | STEM,MAIN:9.5MM DIA X 130MM LG,STEEL | A75326/227 | WBL | 8 |
| 379 | 842507 | STOP ASSY: | F 075 077 | FERRAZ | 316 |
| 380 | 843518 | PIN:LOCKING PIN,T075089 | T 075089 | FERRAZ | 22 |
| 381 | 843905 | COVER:FITTED COVER | M075106 | KHI | 15 |
| 382 | 844107 | BOLT c/w WASHER FOR COVER FIXATION - 12 | P 075 108 | FERRAZ | 19 |
| 383 | 844203 | COVER:FITTED COVER ASSEMBLY | Q075109 | KHI | 20 |
| 384 | 844318 | SCREW:COVER FIXATION ASSEMBLY,R 075 110 | R075110 | FERRAZ | 19 |
| 385 | 844406 | SCREW:FIXATION SCREW ASSEMBLY UNIT,S 075 | S 075 111 | FERRAZ | 19 |
| 386 | 844502 | RING:INSULATION RING ASSEMBLY | T075112 | KHI | 20 |
| 387 | 910418 | FITTING:1/4" BSPT X 6 (STEEL) | 5481-9031893-02 | NABCO | 11 |
| 388 | 940203 | PLATE:AIR SPRING GUIDING PLATE,RIGHT SID | 5073510 | KHI | 5 |
| 389 | 940318 | PLATE:AIR SPRING GUIDING PLATE,LEFT SIDE | 5073502 | KHI | 5 |
| 390 | 1029905 | LAMP,INCANDESCENT:24V,45W,BASE BA20S | 24V45WBA20S/7438 | TUNGSRAM | 7 |
| 391 | 1034106 | SWITCH,PRESSURE: | 90450R2/20 | PLASSER | 3 |
| 392 | 1034202 | SWITCH:PRESSURE SWITCH FOR GPV | 90451R2/20 | PLASSER | 3 |
| 393 | 1043707 | RELAY, POWER: 24V DC | LR24VDC | PLASSER | 3 |
| 394 | 1087005 | COVER:BEARING COVER | 5057159 | KHI | 2 |
| 395 | 1088905 | SHIM,120MM X 52MM X 6MM THK (ST 52-3) | 5065542 | DUEWAG | 9 |
| 396 | 1138204 | BRUSH FOR DOOR WEATHER STRIP,NYLON | 2F3786 - 2 - 000 | KHI | 30 |
| 397 | 1138319 | STRIP:DOOR WEATHER,72.5 X 20.5 X 2MM X 3 | 2F3852 - 2 - 001 | KHI | 57 |
| 398 | 1138503 | WEATHER STRIP:780MM LG (CR RUBBER) | 1F2688 - 0 - 015 | KHI | 1,480 |
| 399 | 1157309 | CIRCUIT CARD ASSEMBLY, COMPUTER | HP 12006A | HEWLETT | 1 |
| 400 | 1157501 | CIRCUIT CARD ASSEMBLY, COMPUTER | HP 12009A | HEWLETT | 1 |
| 401 | 1200303 | TIMER,RELAY:RLS-14B(15S) | LS-14B(15S) | KHI | 5 |
| 402 | 1201306 | TERMINAL BOARD TS603RXM 38P | TS-603 38P X 2 | KIMUDEN | 20 |
| 403 | 1201402 | TERMINAL BOARD TS603RXM 34P | TS603RXM 34P | KHI | 4 |
| 404 | 1201605 | TERMINAL BOARD TS603RXM 37P | TS603RXM 37P | KHI | 10 |
| 405 | 1201701 | TERMINAL BOARD TS603RXM 28P | TS603RXM 28P | KHI | 10 |
| 406 | 1201904 | TERMINAL BOARD TS604RXF 5P + TS603RXM 25 | TS604RXF 5P + TS603R | KHI | 8 |
| 407 | 1202018 | TERMINAL BOARD TS604RXF 35P | TS604RXF 35P | KHI | 10 |
| 408 | 1202106 | TERMINAL BOARD TS-603RXM 30P | TS-603RXM 30P | KHI | 10 |
| 409 | 1202309 | TERMINAL BOARD TS-603RXM 23P | TS-603RXM 23P | KIMUDEN | 8 |
| 410 | 1203109 | PUSH BUTTON SWITCH | AH30-G1B30 | KHI | 11 |
| 411 | 1203205 | PUSH BUTTON SWITCH | AH30-G1B21 | KHI | 14 |
| 412 | 1203619 | CIRCUIT BREAKER:RK31 1P30AT | RK 31 1P 30A | NIKKO | 11 |
| 413 | 1203707 | TERMINAL BOARD:12 POLE,SINGLE ROW | TS-72 12P | KOWA | 19 |
| 414 | 1205219 | PUSH BUTTON SWITCH | AH30-G1Y10 | KHI | 17 |
| 415 | 1205606 | P. C BOARD PART 2 | AH30-G1Y10 | KHI | 15 |
| 416 | 1205905 | TERMINAL BOARD | TS-604B 4P | KHI | 80 |
| 417 | 1206107 | FUSE:2A,125V (FAST BLOW) 5 X 30 GLASS | FGB 0.2A | KHI | 75 |
| 418 | 1206318 | TERMINAL BOARD | G-08 2P | KOHWA | 162 |
| 419 | 1206705 | TERMINAL BOARD TS-141Y 2P | T8 141Y 29 | KIMUDEN | 15 |
| 420 | 1206801 | LAMP (LED) TFN-20Y | FN-20Y | KHI | 40 |
| 421 | 1206908 | RESISTOR:3.3K OHM,5W | - | KHI | 4 |
| 422 | 1207003 | P.C. BOARD PART 1 | - | KHI | 30 |
| 423 | 1207118 | TERMINAL BOARD TS603RXM 40P | TS-603RXM 40P | KIMUDEN | 10 |
| 424 | 1207206 | TERMINAL BOARD TS603RXM 44P | TS603RXM 44P | KHI | 10 |
| 425 | 1207302 | TERMINAL BOARD TS603RXM 42P | TS603RXM 42P | KHI | 10 |

| | | | | | |
|-----|---------|--|----------------------|----------|-----|
| 426 | 1207409 | TERMINAL BOARD TS604RXF 5P + TS603RXM 35 | TS604RXF 5P + TS603R | KHI | 10 |
| 427 | 1207505 | TERMINAL BOARD TS604RXF 14P + TS603RXM 2 | TS604RXF 14P + TS603 | KHI | 9 |
| 428 | 1207601 | TERMINAL BOARD TS604RXF 10P + TS603RXM 2 | TS604RXF 10P + TS603 | KHI | 10 |
| 429 | 1207804 | SEALED WIRE (ZINC) | - | KHI | 500 |
| 430 | 1207919 | SHIELD WIRE (COPPER) | - | KHI | 1 |
| 431 | 1208006 | SWITCH:CAM SWITCH,AN-8X-W7,8 | AN-8XW7,8 | SEIKO | 7 |
| 432 | 1208102 | SWITCH:CAM SWITCH,AN-3X-W0 | AN-3X-W0 | SEIKO | 8 |
| 433 | 1208604 | CONNECTOR GT6L-M12C 53B1-(25) | GT6L-28-M12SC 53B1-(| KHI | 24 |
| 434 | 1208719 | CONNECTOR:GT2L-28-M12PC-1 | GT2L-28-M12PC-1 | KHI | 30 |
| 435 | 1208903 | INDICATOR KP-164FL (R) | KP-164 | KIMUDEN | 15 |
| 436 | 1209009 | INDICATOR KP-164FL (G) | KP-164FL (G) | KHI | 80 |
| 437 | 1209519 | TERMINAL BOARD G-04-M4 | G-04-M4 | KHI | 15 |
| 438 | 1210501 | DIODE BOARD (TD) HA512852 | HA512852 | KHI | 10 |
| 439 | 1210608 | RESISTOR:5500 OHM,10W | HA512830 | KHI | 6 |
| 440 | 1210819 | TERMINAL BLOCK:(SUNAZAKI) KH/151/67/0008 | KH/151/67/0008 | KHI | 5 |
| 441 | 1211109 | TRANSISTOR (TD) HA30393-6 | HA30393-6 | KHI | 2 |
| 442 | 1211301 | RESISTOR:5K OHM,10W (FOR C151) | GH10W 5K OHM J | JRM | 6 |
| 443 | 1211408 | RESISTOR:2K OHM,5 (KHI) | GH5W 2K OHM J | JRM | 6 |
| 444 | 1211504 | TERMINAL BLOCK (TD) HA30393-9 | HA30393-9 | KHI | 6 |
| 445 | 1211619 | SPACER (TD) HA30393-2.1 | HA30393-2.1 | KHI | 24 |
| 446 | 1212101 | FUSE HOLDER:55.5MM OD X 45MM ID X 180MM | LPB4-S | UTSUNOMI | 3 |
| 447 | 1212208 | FUSE BASE COMPLETE(TD) HA30398-6 | FHS B4F-S | UTSUNOMI | 10 |
| 448 | 1212718 | TERMINAL BOARD (15 POINTS) | SB360002 | KHI | 20 |
| 449 | 1212806 | TERMINAL BOARD (22MMSQ-80MMSQ) | SB360006 | KHI | 20 |
| 450 | 1212902 | TERMINAL BOARD (80MMSQ-150MMSQ) | SB360005 | KHI | 20 |
| 451 | 1213008 | TERMINAL BOARD SB260078 | SB260078 | KHI | 10 |
| 452 | 1213104 | TERMINAL BOARD SB260079-G1 | SB260079-G1 | KHI | 10 |
| 453 | 1213219 | TERMINAL BOARD SB260079-G2 | SB260079-G2 | KHI | 10 |
| 454 | 1213307 | TERMINAL BOARD SB260079-G3 | SB260079-G3 | KHI | 10 |
| 455 | 1213403 | TERMINAL BOARD SB260080-G1 | SB260080-G1 | KHI | 10 |
| 456 | 1213518 | BRACKET FOR EMERGENCY SWITCH MOUNTING | C261146 | KHI | 99 |
| 457 | 1213606 | RESISTOR SC361168 | SC361168 | KHI | 20 |
| 458 | 1213702 | BOX:ATO ANTENNA JUNCTION BOX,SB 260037 | SB260037 | KHI | 20 |
| 459 | 1213809 | DOOR NUMBER DECAL KH/151/28/0014 | KH/151/28/0014 | KHI | 8 |
| 460 | 1214019 | SIGN,WARNING:EMERGENCY CALL STICKER | KH/151/28/0017 | KHI | 73 |
| 461 | 1214107 | DECAL:MRT (FIRE EXTINGUISHER) | KH/151/28/0023 | KHI | 68 |
| 462 | 1214203 | DECAL,WARNING: | KH/151/28/0024 | KHI | 198 |
| 463 | 1214318 | SIGN (FIRE EXTINGUISHER BOX) | KH/151/28/0027 | KHI | 18 |
| 464 | 1214406 | LABEL,INDICATION (LEVER,DOOR LOCK) ON RI | KH/151/28/0028 | KHI | 18 |
| 465 | 1214502 | LABEL,ARROW (CAB COVER CEILING) | KH/15128/0029 | KHI | 16 |
| 466 | 1214609 | DECAL:CLASS OF FIRES FOR FIRE EXTINGUISH | KH/151/28/0029 | KHI | 138 |
| 467 | 1214705 | TERMINAL BOARD (SB260080-G2) | SB260080-G2 | KHI | 10 |
| 468 | 1214801 | TERMINAL BOARD SB360075-G1 | SB360075-G1 | KHI | 100 |
| 469 | 1214908 | TERMINAL BOARD SB360075-G2 | SB360075-G2 | KHI | 100 |
| 470 | 1215003 | TERMINAL BOARD SB461003-G1 | SB461003-G1 | KHI | 500 |
| 471 | 1215118 | TERMINAL BOARD SB461003-G2 | SB461003-G2 | KHI | 100 |
| 472 | 1215206 | TERMINAL BLOCK SB461003-G3 | SB461003-G3 | KHI | 300 |
| 473 | 1215302 | BOX:ATO/ATP ANTENNA JUNCTION BOX,SB 2600 | SB260036 | KHI | 20 |
| 474 | 1215409 | PLATE:CONNECTING PLATE | SB460074 | KHI | 50 |
| 475 | 1215804 | LABEL:INDICATION,LEFT HAND(PAPER) | KH/151/62/1021 | KHI | 38 |
| 476 | 1216401 | CONTACT SEGMENT,USE-1-7-007-G2 | USE-1-7-007-G2 | YUTAKA | 2 |
| 477 | 1216807 | CONNECTOR:HIGH VOLTAGE (M & F) | USB-9079 | YUTAKA | 21 |
| 478 | 1216903 | CONTACT PIECE,USD-1-3-410 G3 | USD-1-3-410 G3 | YUTAKA | 30 |
| 479 | 1217009 | CONTACT PIECE,USD-1-3-416 G3 | USD-1-3-416-G3 | YUTAKA | 21 |
| 480 | 1217308 | SPACER,FLAT:23 OD X 10.4 ID X 3 THK,S.ST | 1F2739-0-006 | KHI | 190 |
| 481 | 1217404 | HOSE:OIL HOSE | KH/151/49/0024 | KHI | 10 |
| 482 | 1219207 | LENS (AMBER) | MED299243-4 | KHI | 5 |
| 483 | 1219602 | LENS:TAIL LIGHT LENS,CLEAR GLASS | D8M21381 | MORIO | 8 |
| 484 | 1219709 | FILTER | D8M17516-2 | KHI | 9 |
| 485 | 1219805 | PACKING ASSEMBLY | B6M04830-14 | KHI | 9 |
| 486 | 1219901 | INDICATOR,TRAIN NUMBER: | B6M04603 | KHI | 6 |
| 487 | 1220208 | SOCKET:POLYGONAL,3/8 P/N 3 | - | KHI | 8 |
| 488 | 1220304 | SOCKET:POLYGONAL,1/2 P/N 4 | - | KHI | 16 |
| 489 | 1230318 | SIGN,EMERGENCY STICKER | KH/151/28/0017 | X | 78 |
| 490 | 1230406 | LABEL,INDICATION (LEVER, DOOR LOCK) ON L | KH/151/28/0028 | X | 18 |
| 491 | 1230502 | INDICATION LABEL,RIGHT(BATT BOX COVER HA | KH/151/62/1021 | X | 40 |
| 492 | 1248606 | NUT:PLAIN,ROUND,M28 X 12MM THK(BRASS) | 580244 | KHI | 10 |
| 493 | 1248702 | INSULATOR | USD-1-3-409-G3 | YUTAKA | 60 |
| 494 | 1248809 | RING:RETAINING RING (SNAP RING) FOR E/PL | USE-1-6-150-G 3 | YUTAKA | 87 |
| 495 | 1249019 | GASKET:FOR HV CONNECTOR | USD-1-3-656-G8 | KHI | 215 |
| 496 | 1249107 | GASKET, O RING | JISW1516-G2 | KHI | 9 |

| | | | | | |
|------|---------|--|------------------|----------|-------|
| 497 | 1249406 | GASKET | USD-1-3-656-G14 | KHI | 10 |
| 498 | 1249908 | GASKET, O RING | JISW1516-G6 | KHI | 18 |
| 499 | 1250204 | GASKET | USD-1-6-200-G2 | KHI | 20 |
| 500 | 1250503 | SEALING COLLAR | KH/151/43/0008 | KHI | 18 |
| 501 | 1250706 | AXLE BOX BODY W/O BEARING,COVER | JB 1403 | NSK | 4 |
| 502 | 1250909 | LED:RED,24VDC | BD 1811R-24V | MELCO | 4 |
| 503 | 1251004 | LED: (NO SPEC AVAILABLE) | HONEYWELL-YS8A | MELCO | 100 |
| 504 | 1251119 | SWITCH SPRING LOADED | A3PA-5706-24E | MELCO | 3 |
| 505 | 1251207 | INDICATOR, POWER | 38068-1 | MELCO | 4 |
| 506 | 1251303 | SWITCH, MICRO | 2D2-J | HONEYWEL | 2 |
| 507 | 1251418 | SWITCH, MICRO | 2D26L-J | HONEYWEL | 3 |
| 508 | 1251506 | RELAY,TIMER:2PDT,SOLDER,14 PIN,1 SEC,24V | MY2V 24V DC | OMRON | 4 |
| 509 | 1251602 | RELAY | MY3 24V DC | OMRON | 2 |
| 510 | 1252103 | CLIP,CATCH CLAMPING SPRING:FOR DOOR | MY3 24V DC | OMRON | 5 |
| 511 | 1252218 | LABEL FOR DATUM | MY3 24V DC | OMRON | 2 |
| 512 | 1252306 | LABEL FOR DATUM | MY3 24V DC | OMRON | 3 |
| 513 | 1256518 | ADAPTOR FOR EARTH | 2M5086-0-000 | KHI | 4 |
| 514 | 1256606 | ADAPTOR:FOR ATO/ATP TACHO | KH/151/49/0004 | KHI | 8 |
| 515 | 1256702 | ADAPTOR:FOR WHEEL SLIDE TACHO | KH/151/49/0005 | KHI | 4 |
| 516 | 1256809 | COUPLING:FOR TACHO GENERATOR MOUNTING | KH/151/49/0006 | KHI | 5 |
| 517 | 1257406 | MICROCIRCUIT:OPT-AMPLIFIER | TLO81MJA | TEXAS | 35 |
| 518 | 1257502 | TRANSISTOR | 642-575 | RS | 9 |
| 519 | 1257609 | TRANSISTOR | 296-065 | RS | 64 |
| 520 | 1298005 | CONNECTOR,QE (MALE) | QE 4401-50P | MELCO | 5 |
| 521 | 1300419 | SEALANT,SILICONE:480G/PCE | KE-3483 (AL) | SHINETSU | 1 |
| 522 | 1326619 | SPACER OUTER RING | - | KHI | 2 |
| 523 | 1326707 | JIG:BEARING MOUNTING | - | KHI | 2 |
| 524 | 1326918 | RING:SEALING COLLAR MOUNTING RING | - | KHI | 2 |
| 525 | 1354003 | SPRING, FOR PUSH-BACK | 1071-4117639-01 | KHI | 119 |
| 526 | 1354302 | SPRING, FOR PUSH BACK | 1071-4117638-01 | KHI | 119 |
| 527 | 1354505 | BUSH:24MM OD X 14MM ID X 7MM THK,STEEL | 1951-4118622-03 | NABCO | 887 |
| 528 | 1355102 | BUSH:U-SHAPED BUSH,22MM OD X 12MM ID,RUB | 5353-4072935-01 | KHI | 454 |
| 529 | 1355401 | BUSH:18MM OD X 14MM ID X 7.95MM LG | 1077-4119787-01 | NABCO | 1,597 |
| 530 | 1356105 | GASKET | 3084-4121045-01 | KHI | 56 |
| 531 | 1356308 | COVER ASSEMBLY WITH GASKET | 5353-9053395-01 | KHI | 26 |
| 532 | 1357001 | COIL:DC 110V | 5335-4071603-04 | KHI | 126 |
| 533 | 1357204 | BUFFER:RUBBER BUFFER FOR DOOR ACTUATOR A | 5171-4072318-01 | NABCO | 3,847 |
| 534 | 1357407 | WIRE ASSY | 1956-4120524-01 | KHI | 85 |
| 535 | 1361318 | O-RING:7MM ID X 3MM DIA C/S,NITRILE | 01 N 60.04.05 | KHI | 236 |
| 536 | 1367402 | SWITCHING ELEMENT (TYPE:NO) | S802B | SCHALTBA | 10 |
| 537 | 1380404 | THRESHOLD:FOR EMU SALOON DOOR(ALUM ALLOY | IF 3093-1-000 | KHI | 1 |
| 538 | 1394208 | PLATE | KH/151/24/2113-3 | KHI | 4 |
| 539 | 1394304 | PLATE | KH/151/24/2113-4 | KHI | 4 |
| 540 | 1394419 | PLATE | KH/151/24/2113-5 | KHI | 4 |
| 541 | 1394507 | PLATE | KH/151/24/2113-6 | KHI | 4 |
| 542 | 1440606 | PCB:MN-MRY-21C | MN-MRY-21C | MELCO | 1 |
| 543 | 1440702 | PCB:MN-ACCD-2C | MN-ACCD-2C | MELCO | 4 |
| 544 | 1441019 | PCB:MN-ACOM-3C | MN-ACOM-3C | MELCO | 1 |
| 545 | 1441107 | RELAY, TIME DELAY, MS802E-30A | MS802E-30A | MELCO | 1 |
| 546 | 1441318 | RELAY, TIME DELAY, MS802E-05A | RL 09412 L 1 A | MITSUBI | 5 |
| 547 | 1441406 | VARISTOR PLATE:FOR RELAY UNIT | RL 09412 L 1 A | MITSUBI | 2 |
| 548 | 1441502 | DIODE PLATE, FOR RELAY UNIT | RL 09412 L 1 A | MITSUBI | 2 |
| 549 | 1441609 | PCB:FOR MS-349A GATE AMP | HX40711 | MELCO | 2 |
| 550 | 1441705 | PCB:FOR MS-349A GATE AMP | HX40142 | MELCO | 2 |
| 551 | 1441801 | PCB:FOR MS-1544 GATE AMP | HX40141 | MELCO | 1 |
| 552 | 1441908 | PCB:FOR MS-1544 GATE AMP | HX40144 | MELCO | 2 |
| 553 | 1442206 | THYRISTOR FOR C151 (MELCO) | MS1529A | MELCO | 1 |
| 554 | 1442409 | DUCT,AIR:FLEXIBLE,FOR AIR-CON EVAPORATOR | KH/151/25/3021 | KHI | 24 |
| 555 | 1455218 | SWITCHING ELEMENT (TYPE:NC) | S806B | SCHALTBA | 8 |
| 556 | 1492019 | BRACKET:MOUNTING BRACKET FOR UNIT SUPPOR | T218313G11 | MELCO | 21 |
| 557 | 1492705 | BUSH:20MM OD X 15MM ID X 3MM THK,RUBBER | T218313G11 | MELCO | 98 |
| 558 | 1506003 | ANGLE:NONMETALLIC RUBBER STRIP CUSHION | P394864 | DUEWAG | 84 |
| 559 | 1516201 | AUTO-DRAIN MECHANISM - INCL.GASKET 11 | 3000-92 | NORGREN | 23 |
| 560 | 1538304 | BEARING:CYLINDRICAL ROLLER BEARING,40MM | NU 208 ECP/C3 | SKF | 10 |
| 561 | 1538419 | BEARING:ANGULAR CONTACT BALL,65MM BORE | 7213 BECBP | SKF | 20 |
| 562 | 1538507 | RING:NILOS,120MM OD X 72.5MM ID X 0.3MM | 7213 JVG | SKF | 16 |
| 563 | 1602206 | PLUG:3/4 BSPT,HEX SOCKET HEAD,ELECTRO-PL | 77591196 | KHI | 17 |
| 208 | 275119 | ADAPTOR,AISI 1018 FOR RELAY VALVE | J78606/001 | WBL | 10 |
| 1093 | 2048307 | STUD:M12 X 1.75P X 50MM LG(ELECTRO-PLATE | J76106/1 | WBL | 107 |
| 1197 | 2191402 | SPRING CARRIER FOR EP CONVERTER | J78321/002 | WBL | 10 |
| 201 | 272209 | SPRING FOR PARKING BRAKE CONTROL UNIT | A87821/376 | WBL | 30 |

| | | | | | |
|------|---------|--|----------------|---------|-----|
| 202 | 272305 | BALL:7/16" DIA,S STEEL | 77038022 | WBL | 48 |
| 569 | 1604404 | GUIDE,MODULE: | B85741/001 | WBS | 20 |
| 284 | 359718 | NUT:1 1/2" x 1" THK,YELLOW ZINC-PLATED S | A70266/167 | WBL | 5 |
| 571 | 1604906 | GUIDE,MODULE: | 77397121 | KHI | 30 |
| 580 | 1647607 | SEAT:BY PASS VALVE OF OIL FILTER | WB5024/23 | WBL | 9 |
| 1323 | 2585903 | NIPPLE:3/4 BSPP X 3/4 BSPT,YELLOW ZINC-P | A79948/29 | WBL | 6 |
| 1198 | 2191509 | SPRING:FOR LOAD CUT OFF VALVE,M CAR | A87822/413 | WBL | 19 |
| 620 | 1668109 | PLUG:1/4 BSP x 19 TPI,ELECTRO-PLATED STE | A82089/16 | WBL | 9 |
| 576 | 1606418 | FILTER ELEMENT: | 7729049 | KHI | 80 |
| 577 | 1638305 | BOLT:FOR BOGIE CENTRE PIVOT ASSEMBLY | 660663 | DUEWAG | 36 |
| 578 | 1644019 | RING,PISTON:COMPRESSION,0.020" OVERSIZE | RNG 0609X020 | CMP | 182 |
| 579 | 1646401 | SEGMENT:OIL PUMP DRIVE SEGMENT | 17-44710-00 | CARRIER | 17 |
| 210 | 276509 | SPRING:OUTER FOR LOAD CUT-OFF VALVE | A87821/286 | WBL | 28 |
| 209 | 276402 | SPRING:INNER FOR LOAD CUT-OFF VALVE | A87821/285 | WBL | 28 |
| 566 | 1603719 | PLATE:TOGGLE PLATE,MILD STEEL | B81495/015 | WBL | 14 |
| 1202 | 2191904 | SPRING:BIAS SPRING FOR LOAD CUT-OFF VALV | A87821/238 | WBL | 14 |
| 745 | 1826808 | ADAPTOR:1/4 BSP,FOR AUTO PRESSURE SWITCH | J78606/002 | WBL | 9 |
| 1092 | 2048219 | STUD:M12 x 40MM NOMINAL LG,YELLOW ZINC-P | J76106/3 | WBL | 35 |
| 161 | 259805 | NUT:PLAIN,2 1/2" x 8TPI x 3/8"THK,ELECTR | A70266/122 | WBL | 8 |
| 631 | 1669507 | BOARD,INSULATION:FOR PRESSURE SWITCH | J78889/007 | WBL | 9 |
| 304 | 369107 | SPRING:CLICK,10 o/d x 0.8 c/s x 18MM LG | J80083/002 | WBL | 282 |
| 743 | 1826306 | STUD:M12 x 1.75P x 55MM LG,ELECTRO-PLATE | J76106/2 | WBL | 42 |
| 1327 | 2587204 | RING:SUPPORT,15.76 o/d x 10.02 i/d x 1.1 | J80083/013 | WBL | 25 |
| 230 | 336305 | KEY:MACHINE,1/2" SQ x 0.98" LG,MILD STEE | A74017/33 | WBL | 9 |
| 592 | 1656108 | WASHER:OVERLOAD WASHER,STEEL | 148151 | STONE | 16 |
| 593 | 1658701 | SEAL:BRUSH(MOQUETTE)FOR CAB DOOR SIDE ED | 2F6403-0-001 | KHI | 66 |
| 594 | 1661003 | TRACK:TOP DOOR TRACK,LH | 1F2708-1-000 | KHI | 4 |
| 595 | 1661118 | TRACK:TOP DOOR TRACK,RH | 1F2708-2-000 | KHI | 4 |
| 596 | 1661206 | GUIDE:THRESHOLD & DOOR GUIDE | 1F2892-0-000 | KHI | 3 |
| 597 | 1661302 | HANGER:DOOR HANGER | 1F2732-1-000 | KHI | 9 |
| 598 | 1661409 | BOLT:TEE,M8 X 1.25P X 25.5MM LG(ELECTRO- | 2F3962-0-002 | KHI | 90 |
| 599 | 1661505 | GUIDE,BOTTOM:LEFT HAND SIDE | 0 F 3820-1-000 | KHI | 40 |
| 600 | 1661601 | RETAINER | 2F5252-1-003 | KHI | 30 |
| 601 | 1661708 | HANGER:DOOR HANGER | 1F2732-2-000 | KHI | 25 |
| 602 | 1661919 | RETAINER | 2F5252-2-004 | KHI | 30 |
| 603 | 1662305 | PLATE:WEATHER STRIP PLATE | 2F5123-1-002 | KHI | 5 |
| 604 | 1662401 | SHEET,INSIDE | 1F2854-1-000 | KHI | 5 |
| 605 | 1662508 | BRACKET #35,36,37 | 0 F 0107-1-200 | KHI | 5 |
| 606 | 1662604 | LINER,T=5 | 1F3093-1-007 | KHI | 8 |
| 607 | 1662903 | FITTING (#4 & 5) | 1G4068-0-200 | KHI | 5 |
| 608 | 1663607 | HANDLE:(#4 & 5) | 1G4067-0-100 | KHI | 2 |
| 609 | 1663906 | SUPPORT | 2G4971-0-004 | KHI | 5 |
| 610 | 1664204 | CABLE:PUSH-PULL CABLE | 1G4040-0-007 | KHI | 4 |
| 611 | 1664319 | GUIDE | 1G4751-0-011 | KHI | 10 |
| 612 | 1664407 | CABLE,LATERAL,LOCK: | 0G0157-0-001 | KHI | 2 |
| 613 | 1664503 | CABLE,LONGITUDINAL,LOCK: | 0G0157-0-002 | KHI | 1 |
| 614 | 1664618 | SPRING | 2G4902-0-003 | KHI | 4 |
| 615 | 1664706 | COVER | 2G6437-0-100 | KHI | 5 |
| 616 | 1664909 | BRACKET | 1G3510-0-002 | KHI | 5 |
| 617 | 1665709 | GRIP | 0L0084-0-022 | KHI | 5 |
| 618 | 1667309 | STOPPER FOR BOLT | 2T4653-0-000 | KHI | 19 |
| 1572 | 2966001 | PLATE:ALUMINIUM,FOR COUPLER MAGNET | J 78977/002 | WBL | 30 |
| 212 | 276808 | SPRING,BIAS FOR LOAD CUT-OFF VALVE | A87823/238 | WBL | 36 |
| 283 | 359304 | KEY:MACHINE,7MM X 13MM X 233MM LG,STEEL | A74017/15 | WBL | 5 |
| 583 | 1648001 | CAGE FOR PARKING BRAKE CONTROL UNIT | J76658/1 | WBL | 14 |
| 211 | 276605 | SPRING INNER FOR LOAD CUT-OFF VALVE | A87821/287 | WBL | 30 |
| 1120 | 2068105 | CONNECTOR FOR TACHO GENERATOR | J78830/001 | WBL | 2 |
| 678 | 1782219 | FILTER BOWL C/W SIGHT GLASS:FOR F13 FILT | C76975/142 | WBL | 3 |
| 227 | 281009 | SLEEVE,TUBE:10MM ID X 0.9MM THK,RUBBER | 77722604 | WBL | 7 |
| 282 | 359101 | SPRING | A87822/78 | WBL | 8 |
| 309 | 373202 | SPRING,HELICAL,COMPRESSION (ELECTRO-PLAT | A87822/473 | WBL | 36 |
| 585 | 1653708 | PIN:DOWEL,DIA 4.7MM X 11MM LG (MILD STEE | J80071/5 | WBL | 6 |
| 968 | 1954607 | RING:SNAP RING FOR 6MM DIA SHAFT,SPRING | J 80083/021 | WBL | 911 |
| 1483 | 2704802 | BOLT:M10 x 1.5P x 65MM LG(ZINC-PLATED CA | D 85441/008 | WBL | 178 |
| 233 | 338706 | CIRCLIP:EXTERNAL FOR SHAFT DIA 63MM,ELEC | 77171466 | WBL | 56 |
| 568 | 1604105 | PLUG:1/8 BSPT,HEX SOCKET HEAD,ELECTRO-PL | 77591132 | WBL | 57 |
| 249 | 343118 | SPRING | PC2799 | WBL | 11 |
| 635 | 1674808 | GASKET:12 X 6.4MM C/S X 1.5M LG,SPONGE R | 810297 | STONE | 38 |
| 636 | 1675704 | WASHER:FLAT,M5 X 1.5MM THK(NEOPRENE) | 330392 | STONE | 47 |
| 637 | 1675819 | SEAL,WASHER:20.5 ID X 27 OD X 2MM THK,NB | 337073 | STONE | 664 |
| 638 | 1676002 | SEAL,COVER:FOR HIGH VOLTAGE CONTROL BOX | 705548 | STONE | 90 |

| | | | | | |
|------|---------|--|---------------|----------|-----|
| 639 | 1678008 | SUPPORT:ANTENNA SUPPORT RH,ANTENNA INSTA | 5068827 | DUEWAG | 3 |
| 640 | 1679019 | RING:SUS SHAFT C-RING #10 | 1405538100 | MELCO | 990 |
| 641 | 1679502 | BRACKET FOR CAM SHAFT ASSEMBLY (HW 78550 | HY48270002 | MELCO | 4 |
| 642 | 1679705 | BEARING:PILLOW BLOCK HOUSING c/w BEARING | P 003 | NACHI | 4 |
| 643 | 1679801 | GEAR,BEVEL:FOR MS SHAFT ASSY | HY42940001 | MELCO | 2 |
| 644 | 1680204 | BOLT:INSULATING BOLT ASSEMBLY | M20X100 | MELCO | 81 |
| 645 | 1680319 | WASHER,INSULATING:FOR REACTOR ASS | HV46150001 | MELCO | 4 |
| 646 | 1680407 | MOUNTING,BRUSH HOLDER:FOR PROPULSION SYS | HL19869G01 | MELCO | 1 |
| 647 | 1681901 | INSULATOR:FOR AUX SWITCH BOX ASSY | N402973000 | MELCO | 10 |
| 648 | 1683309 | TERMINAL BLOCK:2 WAY,7A,600V,6SQ.MM | 704097 | STONE | 100 |
| 649 | 1683501 | COIL:71-167V DC (WIDE RANGE TYPE) | LX 5D 12110 | TELEMECA | 33 |
| 650 | 1683907 | RESISTOR:10K OHM,24W,5% (CERAMIC DARK GR | 709869 | STONE | 16 |
| 651 | 1684109 | COIL,FRAME COMPLETE: | 707837 | STONE | 8 |
| 652 | 1684205 | PANEL FOR INDICATING LAMP (NO COMPONENTS | 336075 | STONE | 12 |
| 653 | 1684301 | CONTACT,MOVING:FM/FS | 707833 | STONE | 125 |
| 654 | 1684619 | CONNECTOR:12 CONTACT | 709271 | STONE | 12 |
| 655 | 1684707 | DIODE:1000V,1A | 144546 | STONE | 50 |
| 656 | 1687019 | CONNECTOR:1/2 X 1/2 PT,BRASS,MALE | 0U0042-16-003 | KHI | 10 |
| 657 | 1713109 | BOLT:M6 X 1P X 80MM LG(S STEEL) | HK43842049 | KHI | 180 |
| 658 | 1721619 | WASHER,LOCK:EXT.,M5 X 0.6MM THK(S STEEL) | 0152101005062 | NABCO | 625 |
| 659 | 1736503 | GUARD:CONDENSER COIL GUARD | 336087 | STONE | 4 |
| 660 | 1737004 | BACKING:TERMINAL BACKING | 336046 | STONE | 6 |
| 661 | 1737805 | COVER,TERMINAL BOX: | 710500 | STONE | 3 |
| 662 | 1738103 | COVER FOR THERMOSTAT | 336824 | STONE | 4 |
| 663 | 1738306 | CYLINDER HEAD:FOR EMU AIR CON COMPRESSOR | 709361 | STONE | 8 |
| 664 | 1738904 | CONTACT,FIXED:FM/FS | 707832 | STONE | 184 |
| 665 | 1739202 | SPRINGS,BRUSH:FOR EMERGENCY DAMPER UNIT | 710541 | STONE | 24 |
| 666 | 1739309 | GEAR,BRUSH:FOR EMERGENCY DAMPER UNIT | 710542 | STONE | 16 |
| 667 | 1739608 | GEAR BOX:FOR EMERGENCY DAMPER UNIT | 710547 | STONE | 4 |
| 668 | 1740502 | PAD,MOUNTING: | 708137 | STONE | 16 |
| 669 | 1769401 | ELBOW:3/4 PT X 14 TPI,S STEEL,FEMALE | 0U0041-4-003 | KHI | 5 |
| 670 | 1777102 | PLATE:STIFFENING PLATE | B67000 | FERRAZ | 10 |
| 671 | 1777604 | PLATE:NUT-HOLDER PLATE | A66914 | FERRAZ | 4 |
| 672 | 1777719 | PLATE:CONNECTION PLATE | A66917 | FERRAZ | 10 |
| 673 | 1778009 | SCREEN 120MM X 30MM X 3MM THK (CLEAR PLA | A67008 | FERRAZ | 20 |
| 674 | 1778105 | PLATE:NUT-HOLDER PLATE | A66912 | FERRAZ | 5 |
| 675 | 1778308 | PLATE:CONNECTION PLATE | B67006 | FERRAZ | 5 |
| 676 | 1778703 | SECTION,INSULATING | A67209 | FERRAZ | 12 |
| 1315 | 2584206 | PLATE:FOR AIR COMPRESSOR | A78192/36 | WBL | 10 |
| 628 | 1669208 | BOARD,INSULATION:FOR PRESSURE SWITCH | J78889/008 | WBL | 4 |
| 1298 | 2517206 | RING,RETAINING:PLASTIC,FOR AUTO DRAIN VA | C76975/128 | WBL | 13 |
| 200 | 271919 | SPRING | A87822/240 | WBL | 25 |
| 744 | 1826701 | RING:COMPRESSION FOR 4MM OD TUBE (BRASS) | 77722892 | WBL | 39 |
| 1117 | 2067401 | STRIP: SRS,360MM LG | 77756116 | WBL | 10 |
| 1316 | 2584505 | PACKING PIECE:FOR AIR COMPRESSOR | A88220/4 | WBL | 20 |
| 684 | 1784505 | HEAD:CYLINDER FOR AIR-CON COMPRESSOR | 709410 | STONE | 6 |
| 685 | 1784601 | COVER:SHAFT END COVER | 710513 | STONE | 4 |
| 686 | 1784708 | STUD:TURNLOCK FASTENER(S STEEL) | 812051 | STONE | 28 |
| 687 | 1785209 | RECEPTACLE. POSITIVE LOCK (S STEEL) | 811873 | STONE | 70 |
| 688 | 1785305 | TRANSISTOR | 712062 | STONE | 12 |
| 689 | 1785401 | PANEL, RESISTOR (A) | 337223 | STONE | 4 |
| 690 | 1786009 | CONTACT, MAGNET MOVING | 712083 | STONE | 53 |
| 691 | 1786404 | CONTACT, MAGNET MOVING | 712082 | STONE | 60 |
| 692 | 1786519 | COVER:BOTTOM PLATE COVER | 709395 | STONE | 6 |
| 693 | 1786906 | PIN:DIA 2.5MM X 10MM LG | 0256002501080 | NABCO | 11 |
| 694 | 1787108 | BUSH:26MM OD X 16MM ID X 119.5MM LG,BRAS | 1928411806201 | NABCO | 4 |
| 695 | 1787407 | SCREW:FITTING ADJUSTING SCREW FOR WIPER | 5131902719101 | NABCO | 3 |
| 696 | 1787503 | COVER:CYLINDER | 5167407503402 | NABCO | 20 |
| 697 | 1787618 | BODY:EXHAUST JOINT BODY FOR WIPER ENGINE | 5167408432601 | NABCO | 5 |
| 698 | 1787802 | COUPLING:UNION,1/8" FOR WIPER ENGINE | 5481407448911 | NABCO | 8 |
| 699 | 1789007 | CLIP:CORTING FOR DOOR OPERATING MECHANIS | 1095412258402 | NABCO | 185 |
| 700 | 1789306 | SEAT:EXHAUST VALVE,FOR MANIFOLD ASSY | 1927411861901 | NABCO | 83 |
| 701 | 1789701 | PISTON,PILOT:FOR MANIFOLD ASSY | 1927411861451 | NABCO | 116 |
| 702 | 1791019 | BODY,ASSY:FOR RACK/PINION MECHANISM | 1951211974301 | NABCO | 2 |
| 703 | 1791502 | ACCUMULATOR:AIR RESERVOIR,356X840,70 LTR | 1795311999301 | NABCO | 2 |
| 704 | 1791801 | BOLT:3/8 UNC X 16TPI X 3 1/2"LG(STEEL,BL | 710525 | STONE | 118 |
| 621 | 1668408 | STUD:M10 x 1.5P x 75MM FULL LENGTH,ELECT | 77758983 | WBL | 7 |
| 1318 | 2584804 | PACKING PIECE:FOR AIR COMPRESSOR | A88220/3 | WBL | 20 |
| 1478 | 2700019 | NUT,GLAND FOR 6MM o/d PIPE | 77557862 | WBL | 6 |
| 708 | 1811809 | SUPPORT,BH SPRING:FOR BRUSH HOLDER ASSY | HY21384001 | MELCO | 19 |
| 709 | 1811905 | BOX:BRUSH HOLDER BOX - L | HL19782002 | MELCO | 16 |

| | | | | | |
|-----|---------|--|--------------|-------|-----|
| 710 | 1812019 | COVER:GEAR CASE COVER | HL19827G01 | MELCO | 4 |
| 711 | 1812107 | COVER FOR GEAR UNIT ASSEMBLY | HW43870-38 | MELCO | 2 |
| 712 | 1812318 | COVER:INSPECTION COVER | H638716G02 | MELCO | 28 |
| 713 | 1812908 | COVER FOR EARTH BRUSH ASSEMBLY | H891553002 | MELCO | 4 |
| 714 | 1813003 | CLEAT FOR EARTH BRUSH ASSEMBLY | H411694001 | MELCO | 50 |
| 715 | 1813118 | TERMINAL:FOR EARTH BRUSH ASSY | HW09236002 | MELCO | 205 |
| 716 | 1813302 | PIN:DIA 5MM X 30MM LG (S STEEL) | N402858001 | MELCO | 23 |
| 717 | 1813409 | PIN:DIA 4.9MM X 25MM LG,STAINLESS STEEL | N401383001 | MELCO | 28 |
| 718 | 1813505 | TERMINAL,WORKING:R325-12,MAIN SWITCH BOX | N401042003 | MELCO | 15 |
| 719 | 1813601 | PIN:FOR UPPER CONTACT PART ASSY | HN74848001 | MELCO | 10 |
| 720 | 1813708 | PIN:FOR UPPER CONTACT PART ASSY | HN74849002 | MELCO | 19 |
| 721 | 1813804 | PIN:DIA 5MM X 46MM LG(S STEEL) | HN7485002 | MELCO | 19 |
| 722 | 1814006 | PIN:FOR LOWER CONTACT PART ASSY | HP00815001 | MELCO | 39 |
| 723 | 1814102 | PIN:FOR LOWER CONTACT PART ASSY | HP00516003 | MELCO | 39 |
| 724 | 1814209 | PIN:DIA 10MM X 29MM LG (S STEEL) | HN85096001 | MELCO | 39 |
| 725 | 1814305 | PIN:FOR MOVING PART ASSY | HN74855003 | MELCO | 30 |
| 726 | 1814508 | PIN:FOR MOVING PART ASSEMBLY(STEEL) | HN74874004 | MELCO | 30 |
| 727 | 1814604 | PIN:FOR MOVING PART ASSY | HN74875004 | MELCO | 29 |
| 728 | 1814719 | PIN:FOR MOVING PART ASSY | HN85095001 | MELCO | 26 |
| 729 | 1815201 | BUSH,DU FOR UPPER CONTACT PART ASSEMBLY | 1101922520 | MELCO | 30 |
| 730 | 1815308 | PIN:FOR LINK ASSY | HN95002001 | MELCO | 19 |
| 731 | 1815404 | PIN:FOR LINK ASSY | HN95003001 | MELCO | 19 |
| 732 | 1815519 | PIN:DIA 13MM X 40MM LG(BRIGHT MILD STEEL | H920933003 | MELCO | 9 |
| 733 | 1815607 | BOLT:PIN BOLT FOR LOWER CONTACT PART ASS | HP26794001 | MELCO | 7 |
| 734 | 1815703 | PIN:FOR ELECTRO-MAGNETIC CONTACTOR | H952003002 | MELCO | 9 |
| 735 | 1815818 | PIN:DIA 4MM X 16MM LG(STEEL) | HE63229012 | MELCO | 29 |
| 736 | 1815906 | PIN FOR CAM SWITCH (S STEEL) | HN61495001 | MELCO | 29 |
| 737 | 1816108 | PIN:DIA 8MM X 78MM LG(STEEL) | HG78047001 | MELCO | 5 |
| 738 | 1816407 | C-RING:SHAFT,FOR CAM SHAFT ASSY | 1405535250 | MELCO | 80 |
| 739 | 1816503 | PIN:DIA 6.8MM X 35MM LG(ELECTRO-PLATED S | HY42952011 | MELCO | 5 |
| 740 | 1816618 | LEVER:FOR STAR WHEEL & KEY LOCK ASSY | HW54555001 | MELCO | 5 |
| 219 | 279419 | SPRING:FOR E.P. CONVERTER | A87822/428 | WBL | 14 |
| 179 | 262908 | TERMINAL LUG:YELLOW COLOUR,FOR BRUSH TER | AMP153151 | WBL | 110 |
| 754 | 1828002 | U-CHANNEL RUBBER(GROMMET STRIP):FOR PRES | 77162076 | WBL | 3 |
| 162 | 260005 | GASKET: | J80011/2 | WBL | 82 |
| 163 | 260304 | SHIM:INTERPOLE SHIM,0.036" | J72667/30 | WBL | 8 |
| 164 | 260419 | SHIM:INTERPOLE SHIM,0.002" | J72667/27 | WBL | 8 |
| 165 | 260507 | SHIM:INTERPOLE SHIM,0.005" | J72667/28 | WBL | 10 |
| 166 | 260603 | SHIM:INTERPOLE SHIM,0.010" | J72667/29 | WBL | 8 |
| 170 | 261104 | GASKET:FIELD COIL WASHER(FIBRE GLASS) | J72492/8 | WBL | 10 |
| 171 | 261219 | SPRING FIELD COIL | D72493/6 | WBL | 3 |
| 172 | 261307 | SHIM:MAIN POLE SHIM,0.036" | J72667/26 | WBL | 8 |
| 173 | 261403 | SHIM:MAIN POLE SHIM,0.002" | J72667/23 | WBL | 8 |
| 174 | 261518 | SHIM:MAIN POLE SHIM,0.005" | J72667/24 | WBL | 8 |
| 175 | 261606 | SHIM:MAIN POLE SHIM,0.010" | J72667/25 | WBL | 8 |
| 755 | 1828918 | HINGE:FOR CONSOLE DESK ASSY | 2R4088-0-000 | KHI | 10 |
| 756 | 1832204 | BUSHING | 2U3943-2-000 | KHI | 20 |
| 757 | 1832319 | BUSHING | 2U3943-3-000 | KHI | 20 |
| 758 | 1832407 | CLAMP,TYPE B620 | 1R3278-0-015 | KHI | 9 |
| 759 | 1832503 | CLAMP,TYPE B621 | 1R3278-0-016 | KHI | 5 |
| 760 | 1832618 | BUSHING | 2S3943-1-000 | KHI | 20 |
| 761 | 1832706 | BUSHING | 2S3943-2-000 | KHI | 20 |
| 762 | 1832802 | CLAMP,TYPE B35 | 1R2761-0-010 | KHI | 5 |
| 763 | 1832909 | CLAMP,TYPE E65 | 1R2761-0-011 | KHI | 9 |
| 764 | 1833004 | CLAMP,TYPE E66 | 1R2761-0-012 | KHI | 7 |
| 765 | 1833119 | BUSHING | 2S3943-4-000 | KHI | 20 |
| 766 | 1833207 | CLAMP,TYPE B11 | 1U3224-0-201 | KHI | 5 |
| 767 | 1833303 | CLAMP,TYPE B23 | 1U3224-0-210 | KHI | 3 |
| 768 | 1833418 | CLAMP,TYPE B29 | 1U3224-0-211 | KHI | 5 |
| 769 | 1833506 | CLAMP,TYPE B38 | 1U3224-0-213 | KHI | 5 |
| 770 | 1833602 | CLAMP,TYPE B43 | 1U3224-0-217 | KHI | 5 |
| 771 | 1833709 | CLAMP,TYPE B45 | 1U3224-0-218 | KHI | 5 |
| 772 | 1833805 | CLAMP,TYPE B46 | 1U3224-0-219 | KHI | 5 |
| 773 | 1833901 | CLAMP,TYPE B49 | 1U3224-0-220 | KHI | 5 |
| 774 | 1834007 | CLAMP,TYPE B410 | 1U3224-0-221 | KHI | 5 |
| 775 | 1834103 | CLAMP,TYPE B414 | 1U3224-0-222 | KHI | 5 |
| 776 | 1834218 | CLAMP,TYPE B416 | 1U3224-0-223 | KHI | 5 |
| 777 | 1834306 | CLAMP,TYPE B13 | 1U3224-0-202 | KHI | 3 |
| 778 | 1834402 | CLAMP,TYPE B418 | 1U3224-0-224 | KHI | 5 |
| 779 | 1834509 | CLAMP,TYPE B428 | 1U3224-0-225 | KHI | 5 |
| 780 | 1834605 | CLAMP,TYPE B4122 | 1U3224-0-227 | KHI | 5 |

| | | | | | |
|-----|---------|--|-----------------|----------|-----|
| 781 | 1834701 | CLAMP,TYPE E61 | 2U3997-0-001 | KHI | 10 |
| 782 | 1834808 | CLAMP,TYPE E63 | 2U3997-0-003 | KHI | 5 |
| 783 | 1834904 | CLAMP,TYPE E622 | 2U3997-0-008 | KHI | 5 |
| 784 | 1835018 | CLAMP,TYPE E452 | 1U3224-0-236 | KHI | 5 |
| 785 | 1835106 | CLAMP,TYPE E69 | 1U4023-0-007 | KHI | 5 |
| 786 | 1835202 | CLAMP,TYPE B14 | 1U3224-0-203 | KHI | 3 |
| 787 | 1835309 | CLAMP,TYPE E639 | 1U4023-0-038 | KHI | 5 |
| 788 | 1835405 | CLAMP,TYPE B16 | 1U3224-0-204 | KHI | 3 |
| 789 | 1835501 | CLAMP,TYPE B18 | 1U3224-0-205 | KHI | 5 |
| 790 | 1835608 | CLAMP,TYPE B19 | 1U3224-0-206 | KHI | 5 |
| 791 | 1835704 | CLAMP,TYPE B21 | 1U3224-0-207 | KHI | 3 |
| 792 | 1835907 | CLAMP,TYPE B26 | 1U3224-0-209 | KHI | 5 |
| 793 | 1836707 | CLAMP,TYPE B28 | 1U3223-0-212 | KHI | 5 |
| 794 | 1836803 | CLAMP,TYPE B34 | 1U3223-0-216 | KHI | 5 |
| 795 | 1836918 | CLAMP,TYPE B35 | 1U3223-0-213 | KHI | 7 |
| 796 | 1837101 | CLAMP,TYPE B329 | 1U3223-0-220 | KHI | 5 |
| 797 | 1837208 | CLAMP,TYPE B319 | 1U3223-0-221 | KHI | 5 |
| 798 | 1837419 | CLAMP,TYPE B422 | 1U3223-0-228 | KHI | 5 |
| 799 | 1837507 | CLAMP,TYPE B4101 | 1U3223-0-229 | KHI | 5 |
| 800 | 1837603 | CLAMP,TYPE B451 | 1U3223-0-231 | KHI | 5 |
| 801 | 1837718 | CLAMP,TYPE B62 | 2U3997-0-002 | KHI | 10 |
| 802 | 1837806 | CLAMP,TYPE E64 | 2U3997-0-004 | KHI | 5 |
| 803 | 1837902 | CLAMP,TYPE B15 | 1U3223-0-204 | KHI | 2 |
| 804 | 1838219 | PACKING: | 2U3945-0-002 | KHI | 2 |
| 805 | 1847705 | SLEEVE FOR AUTO-COUPLER (BRASS) | 104648 | SCHAKU | 1 |
| 806 | 1849305 | CIRCLIP:#55 X 2MM,DIN 471-FST | 141482 | SCHAKU | 34 |
| 807 | 1849604 | BOX:FOR ELECTRICAL COUPLING | 952058 | SCHAKU | 7 |
| 808 | 1852408 | PLUG:1/4 BSPP x 19 TPI,HEX HEAD,BRASS | 100069 | SCHAKU | 20 |
| 809 | 1852619 | PIN,STRAIGHT,HEADLESS:DIA 10 X 24 LG,STE | 100827 | SCHAKU | 30 |
| 810 | 1854104 | PLUG:PLASTIC,FOR ELASTOMERIC DRAFT GEAR | F23 | SCHAKU | 972 |
| 811 | 1854307 | CAP:PROTECTION CAP,M6 FOR ELECTRICAL COU | 187729 | SCHAKU | 49 |
| 812 | 1854403 | TUBE:INSULATING PLASTIC TUBE OF ELEC COU | 953421 | SCHAKU | 30 |
| 185 | 266319 | SEAL:38MM OD X 31MM ID X 2.5MM THK | J70502/17 | WBL | 6 |
| 191 | 268509 | CONNECTOR KIT,FOR TIMER UNIT | J75108/1286 | WBL | 5 |
| 193 | 269907 | KIT,CONNECTOR: | J75108/1287 | WBL | 2 |
| 195 | 271118 | SPRING,COMPRESSION:WIRE DIA 0.089"(2.24M | A87822/476 | WBL | 20 |
| 197 | 271505 | SPRING,COMPRESSION:WIRE DIA 0.098"(2.5MM | A87822/471 | WBL | 10 |
| 205 | 273906 | CONNECTOR KITS | J75108/1288 | WBL | 6 |
| 206 | 274319 | COVER:FIBRE GLASS COVER | J75108/1284 | WBL | 1 |
| 220 | 279507 | SPRING | PC236561 | WBL | 8 |
| 222 | 280209 | BEAM:BLOCK BEAM | J78327/001 | WBL | 6 |
| 223 | 280401 | BUSH FOR DAMPER | J78774/001 | WBL | 47 |
| 823 | 1875319 | LEAF SPRING FOR WIPER CONTROL VALVE | 5151902904501 | NABCO | 40 |
| 824 | 1875407 | PLATE:DISPLAY PLATE FOR YD-5S CONTROL VA | 5492408669601 | NABCO | 3 |
| 825 | 1875618 | RACK:FOR NP-51 WIPER ENGINE | 1928311806605 | NABCO | 1 |
| 826 | 1876119 | PISTON,STOPPER:FOR NP-51 WIPER ENGINE | 5167407369101 | NABCO | 47 |
| 827 | 1876602 | GEAR:PINION FOR NP-51 WIPER ENGINE (STEE | 5433407503801 | NABCO | 10 |
| 828 | 1876709 | TUBE,NYLON:1/4" X 160MM LG | 5484407444801 | NABCO | 41 |
| 829 | 1878018 | SWITCH,PRESSURE:COMPLETE | GAW-24 | SQUARE D | 4 |
| 830 | 1878106 | CHOKE FITTING:FOR "AC-8" PNEUPHONIC HORN | 1845400684702 | NABCO | 6 |
| 831 | 1878202 | BOLT:ADJUSTING FOR DOOR DRIVING BRACKET | 1957-4119893-01 | NABCO | 30 |
| 832 | 1878309 | PLUNGER:FOR DOOR DRIVING BRACKET | 1957-4120715-01 | NABCO | 15 |
| 833 | 1878405 | PLATE FOR DOOR DRIVING BRACKET | 5461-9057170-01 | NABCO | 15 |
| 834 | 1878501 | PIN,TAPERED:DIA 2 X 18,FOR DOOR DRIVING | 0251-2020018-40 | NABCO | 15 |
| 835 | 1878608 | SPRING:FOR DOOR DRIVING BRACKET | 5461-4072931-01 | NABCO | 28 |
| 836 | 1878704 | SETSCREW:HEX SOCKET,1/4 BSP X 9 LG(STEEL | 0360-0002000-31 | NABCO | 5 |
| 837 | 1878907 | PLATE:NAMEPLATE FOR YC-12C CONTROL VALVE | 5492408276301 | NABCO | 6 |
| 838 | 1886907 | BOX:CUTOUT ASSY,FOR U/F COMPRESSOR/CONDE | 336274 | STONE | 1 |
| 839 | 1887205 | COVER FOR REFRIGERATION CONTROL PANEL | 338141 | STONE | 4 |
| 840 | 1887918 | PLUG:PLASTIC PLUG | 642690 | DUEWAG | 148 |
| 841 | 1888005 | WASHER:DISTANCE,1.5MM THK,STEEL | 5077311 | DUEWAG | 80 |
| 842 | 1888101 | WASHER:DISTANCE,2MM THK,STEEL | 5077320 | DUEWAG | 78 |
| 843 | 1889104 | BUSH (STEEL) | 5274940 | DUEWAG | 12 |
| 844 | 1889219 | CLAMP:CABLE CLAMP,WHITE NYLON | 5162378 | DUEWAG | 20 |
| 845 | 1889307 | CLAMP:CABLE CLAMP,WHITE NYLON - 2 HALVES | 5162483 | DUEWAG | 20 |
| 846 | 1889403 | CLAMP:CABLE CLAMP,WHITE NYLON | 5162360 | DUEWAG | 5 |
| 225 | 280807 | WEIGHT:BALANCE WEIGHT | J78323/001 | WBL | 4 |
| 226 | 280903 | WEIGHT:BALANCE WEIGHT | J78323/002 | WBL | 6 |
| 229 | 281906 | CONNECTOR KIT: 35 HOLES | J75108/1291 | WBL | 1 |
| 232 | 337308 | STRAINER: | A74953/4 | WBL | 24 |
| 242 | 341905 | FILTER:FULL FLOW OIL FILTER COMPLETE | J73913/13 | WBL | 12 |

| | | | | | |
|-----|---------|--|----------------|--------|-------|
| 281 | 359005 | PIN,SHOULDER:SPRING PIVOT(BRONZE) | 77601122 | WBL | 1 |
| 296 | 365501 | RING:JOINTING RING | D78897/001 | WBL | 9 |
| 298 | 367419 | BUSH:RATCHET WHEEL BUSH,BRASS | J78971/001 | WBL | 457 |
| 855 | 1922701 | RING,INNER:50 ID X 55 OD X 20MM THK | - | SCHAKU | 10 |
| 856 | 1923018 | SEAL:105MM OD X 100MM ID X 4MM THK,NITRI | - | SCHAKU | 130 |
| 857 | 1926905 | SWITCH,CLOSED DETECTION CAM FOLLOWER | BRS-SM 501/7 | WBS | 7 |
| 858 | 1927318 | KNOB: PLASTIC BALL WITH BRASS INSERT,DIA | POE 54961 | KHI | 6 |
| 859 | 1930402 | CIRCLIP:INTERNAL,19.5MM o/d x 1MM THK,JI | 709379 | STONE | 3,701 |
| 860 | 1930509 | PIN,SPRING:DIA 1/8" X 1/2" LG | 710253 | STONE | 70 |
| 861 | 1932205 | LEAD ASSEMBLY INCLUDING ITEMS 20 TO 29 | HL 19944 G01 | MELCO | 2 |
| 862 | 1932301 | WIRE,EARTH LEAD | HL 19883 G02 | MELCO | 2 |
| 863 | 1932408 | BEARING:UNIT,ASSY-P INCLUDING ITEMS 60 T | HL 19858 G05 | MELCO | 2 |
| 864 | 1932619 | DIODE STACK ASSY | H80-3838 | FUJI | 1 |
| 865 | 1932803 | INSTRUMENT STACK ASSY | H80-3843 | FUJI | 1 |
| 866 | 1933101 | RESISTOR | HN21304-16 | FUJI | 3 |
| 867 | 1933304 | RESISTOR | HN21304-17 | FUJI | 3 |
| 868 | 1933718 | RESISTOR ASSY | HN505960 | FUJI | 8 |
| 869 | 1934104 | RESISTOR | HN21320-9 | FUJI | 6 |
| 870 | 1934905 | RESISTOR ASSY | HN48410 | FUJI | 8 |
| 871 | 1935318 | CLIP:FUSE CLIP | HN21308-35 | FUJI | 4 |
| 872 | 1935801 | PCB: MOB-O2B | HN48705 | FUJI | 3 |
| 873 | 1935908 | PLUG:CONNECTOR | HN21232-21 | FUJI | 6 |
| 874 | 1936003 | RESISTOR | HN505828 | FUJI | 24 |
| 875 | 1936118 | RESISTOR | HN505527 | FUJI | 15 |
| 876 | 1936302 | SPACER,RUBBER | 1H 2810-0-007 | KHI | 12 |
| 877 | 1936409 | COVER:CLOTH COVER | 1H 4444-0-000 | KHI | 8 |
| 878 | 1936505 | LOCK BOLT ASSEMBLY | 1H 2676-0-000 | KHI | 5 |
| 879 | 1936601 | SPRING | 2H 3707-0-000 | KHI | 12 |
| 880 | 1936804 | SPRING | 1H 2824-0-005 | KHI | 4 |
| 881 | 1937102 | CONTACT:MAIN, N.O. MOVING | F0543054 (5) | FUJI | 211 |
| 882 | 1937209 | CONTACT:MAIN, N.O. FIXED | F0543067 (5) | FUJI | 579 |
| 883 | 1937305 | SPRING,LEAF (F):FOR FUJI CONTRACTOR | F0546301 | FUJI | 188 |
| 884 | 1937508 | ARC,CHAMBER:FOR CONTACTOR- SB 4/G Z7 | D0543006 | FUJI | 16 |
| 885 | 1937604 | BOARD:DIODE | ID541136 | KHI | 4 |
| 886 | 1937719 | AMMETER:DC | DVF-11 | TOYO | 3 |
| 887 | 1937807 | CIRCUIT BREAKER:225A | DB 202 | KHI | 4 |
| 888 | 1938009 | CIRCUIT BREAKER:DC5A | DB31A | KHI | 22 |
| 889 | 1938404 | BRACKET (EMERGENCY SW MOUNTING) | SC 361148 | KHI | 6 |
| 890 | 1939204 | COCK ASSEMBLY | T1020 | KHI | 8 |
| 891 | 1939503 | BUFFER:RUBBER BUFFER | 2T 4413-0-000 | KHI | 3 |
| 892 | 1939618 | ROLLER FOR BATTERY BOX ASSEMBLY | 2T 4412-0-002 | KHI | 6 |
| 893 | 1939706 | LATCH | 1U 4077-0-016 | KHI | 20 |
| 894 | 1939802 | LATCH | 1U 4079-0-014 | KHI | 20 |
| 895 | 1940504 | SPRING | 2V 4043-0-005 | KHI | 10 |
| 896 | 1940619 | CLAMP | 2U 4030-0-001 | KHI | 10 |
| 897 | 1940707 | CLAMP:CABLE CLAMP | 2U 4030-0-002 | KHI | 18 |
| 898 | 1940803 | PROTECTOR:CABLE PROTECTOR,RUBBER | 2U 4030-0-004 | KHI | 20 |
| 899 | 1940918 | CLAMP:CABLE SUPPORT CLAMP FOR DT-CAR | 2U 4031-3-000 | KHI | 4 |
| 900 | 1941005 | CLAMP:CABLE SUPPORT CLAMP FOR M-CAR | 2U 4031-2-000 | KHI | 8 |
| 901 | 1941101 | CLAMP:CABLE SUPPORT CLAMP | 2U 4031-1-000 | KHI | 8 |
| 902 | 1941304 | CLEAT | 2U 4196-1-000 | KHI | 10 |
| 903 | 1941419 | CLEAT | 2U 4196-3-000 | KHI | 10 |
| 904 | 1941507 | CLEAT | 2U 4196-6-000 | KHI | 8 |
| 905 | 1941603 | CLEAT CONSISTS OF 3 ITEM | 2U 4503-0-000 | KHI | 8 |
| 906 | 1941718 | CLAMP:WIRING CLAMP | 1U 3387-0-005 | KHI | 8 |
| 907 | 1943318 | INSULATOR FOR CHOPPER CONTROL BOX | HP85771G11 | KHI | 14 |
| 908 | 1943406 | TERMINAL BLOCK:C20-10 REMARK TB2.3 | 6348300123 | KHI | 12 |
| 909 | 1943502 | CAP:DUST CAP | HP 39225001 | MELCO | 15 |
| 910 | 1943609 | CONNECTOR-DE4401-50P REMARK TEST-CN1 | 1403252230 | KHI | 15 |
| 911 | 1943705 | CAP:DUST CAP,QE 50-DC-60 | 1403252110 | MELCO | 12 |
| 912 | 1943801 | CONNECTOR:GT2L-48-M7PC-1 REMARK CN1 -5 | GT2L-48-M7PC-1 | KHI | 18 |
| 913 | 1943908 | TERMINAL BLOCK ASS'Y TERMINAL BLOCK G TY | HM 28080003 | KHI | 12 |
| 914 | 1944003 | PLUG ASS'Y PLUG WWF7315 TYPE REMARK EPP | HW63006004 | KHI | 4 |
| 915 | 1944601 | TEE:EQUAL TEE,KT8-M,BRASS | HS 44024080 | MELCO | 1 |
| 916 | 1944708 | INSERT RING IR6.5 | 3973664380 | MELCO | 30 |
| 917 | 1944804 | CAP:PIPE,3/8 BSP X 19 TPI (GALVD STEEL) | 3971250320 | MELCO | 4 |
| 918 | 1945209 | INSULATOR | HV 12353000 | MELCO | 32 |
| 919 | 1945401 | RESISTOR, GH40W 3.3-OHMJ-0-AP | 611835G044 | KHI | 30 |
| 920 | 1945807 | L-FORM TERMINAL (HONDA) | MB8-0-016 | MELCO | 8 |
| 921 | 1946105 | SPRING:VENT (HONDA) | MB8-0-011 | MELCO | 45 |
| 922 | 1946201 | PLUG:WATER TIGHT PLUG,YELLOW PLASTIC | H 932549000 | MELCO | 30 |

| | | | | | |
|-----|---------|--|---------------|---------|-----|
| 923 | 1946607 | TERM BLOCK TYPE E | RL09125L01 | MELCO | 4 |
| 924 | 1946703 | RESISTOR,GRT-1 3.6K-OHMJ REMARK LVRR | 1403824250 | MELCO | 6 |
| 925 | 1946906 | RESISTOR:6.3W,7K OHM,TYPE T-EC | HL39036002 | MELCO | 6 |
| 926 | 1947001 | RESISTOR, GHH20W 2K-OHMJ-S, REMARK R3 | HL39036004 | MELCO | 6 |
| 927 | 1947108 | T D MODULE MS80E-200A REMARK TD2 | RL94120L1L | MELCO | 6 |
| 928 | 1947204 | SILISTOR C835084 REMARK VA2 | 1104923570 | MELCO | 4 |
| 929 | 1947319 | TERM BLOCK TE-K2-9-HSM | HL39036009 | MELCO | 4 |
| 930 | 1947503 | VARISTOR A325120 | 1104928310 | MELCO | 6 |
| 931 | 1947706 | TRANSFORMER,DC CURRENT:1500A/5V | HL5952001 | MELCO | 4 |
| 932 | 1948004 | CAM-B | HD 12344002 | MELCO | 12 |
| 933 | 1948303 | DIODE:V03J-T52,FOR AMPLIFIER ASSEMBLY | H2C6644004 | MELCO | 34 |
| 934 | 1948418 | TERMINAL BLOCK F2036A-28P | CT6720005E | MELCO | 10 |
| 935 | 1948506 | CONTROL UNIT, SUPPORT ASS'Y | HW41650G07 | MELCO | 4 |
| 936 | 1948602 | INSULATOR HG63427-G1 | 3963760440 | MELCO | 8 |
| 937 | 1948709 | PCB:AUXILIARY RELAY CARD | HW63155G01 | MELCO | 9 |
| 938 | 1948805 | PANEL:BACK PANEL | HX 40384001 | MELCO | 4 |
| 939 | 1948901 | PANEL:BACK PANEL 2 | HX 40385001 | MELCO | 4 |
| 940 | 1949218 | CONNECTOR ME03-96-455-M4RI-A3 | HW54950000 | MELCO | 40 |
| 941 | 1949509 | LINE FILTER ZAC2205-00 | HP26603001 | MELCO | 1 |
| 942 | 1949605 | LEVER CRP-05 | 3963760450 | MELCO | 50 |
| 943 | 1949701 | PISTON PACKING | H 367938002 | MELCO | 52 |
| 944 | 1949808 | GASKET | 4837068003 | MELCO | 52 |
| 945 | 1949904 | COIL ASSY,BLOW OUT: | HU05671G01 | MELCO | 1 |
| 946 | 1950008 | COIL,TRIP: | HN74840004 | MELCO | 5 |
| 947 | 1950219 | CLIP | HN 85052003 | MELCO | 3 |
| 948 | 1950403 | HORN,LOWER ARC: | HJ 33528032 | MELCO | 4 |
| 949 | 1950518 | CYLINDER | HK 02413 G12 | MELCO | 4 |
| 950 | 1950606 | PISTON | HV 12046001 | MELCO | 10 |
| 951 | 1950809 | SWITCH,CONTROL | ARX-12X2 | SEIKO | 6 |
| 952 | 1950905 | INSULATOR:SLEEVE,9.2 OD X 7 ID X 42 LG(F | HW 78130-297 | MELCO | 100 |
| 953 | 1951019 | SPRING | HP 26792001 | MELCO | 18 |
| 954 | 1951107 | MOVING PART ASSEMBLY SPRING | HN 95598001 | MELCO | 10 |
| 955 | 1951203 | COIL ASSY,BLOW OUT: | HU49022G11 | MELCO | 8 |
| 956 | 1951318 | COIL,TRIP: | HP26065001 | MELCO | 5 |
| 957 | 1951502 | ROLLER | HN 74858002 | MELCO | 10 |
| 958 | 1951609 | COIL ASSY,BLOW OUT: | HR24687G03 | MELCO | 5 |
| 959 | 1951705 | LOWER CONTACT PART ASSEMBLY PISTON SPRIN | HN 74897001 | MELCO | 352 |
| 960 | 1951801 | INSULATING COUPLER | HV 12045 G01 | MELCO | 12 |
| 961 | 1951908 | SPRING:WIPE SPRING | HV 12048001 | MELCO | 10 |
| 962 | 1952118 | BLOW OUT COIL ASSEMBLY | HR24687G02 | MELCO | 11 |
| 963 | 1952206 | ELECTRO-MAGNETIC DC 110V COIL | HJ67770G05 | MELCO | 6 |
| 964 | 1952302 | LOW VOLTAGE RELAY PACKING | H481522001 | MELCO | 9 |
| 965 | 1952409 | INSULATING PLATE | H 481529001 | MELCO | 6 |
| 966 | 1952601 | COIL,MAGNETIC:1165-OHM | H682275G05 | MELCO | 3 |
| 967 | 1952708 | COIL,ELECTRO-MAGNETIC:100V,93 OHM,+/-5% | HM06413G01 | MELCO | 6 |
| 302 | 368403 | SPRING:PISTON SPRING,132 o/d x 107 i/d x | J80083/016 | WBL | 6 |
| 969 | 1958018 | CONTROL UNIT,VOLTAGE FOR CAB A/C EVAPORA | 336908 | STONE | 9 |
| 970 | 1958202 | PLATE,BLANKING:FOR'DOMNICK HUNTER'FILTER | 60-500-2120 | DOMNICK | 147 |
| 305 | 372509 | O-RING: | J86509/002 | WBL | 100 |
| 317 | 376219 | SPRING | A87822/450 | WBL | 14 |
| 973 | 1967301 | BLOCK:RN TERM BLOCK 10RN | 1103252080 | MELCO | 4 |
| 319 | 376905 | REPAIR KIT:CONSISTS OF 8 ITEMS FOR BALL | J80067/67 | WBL | 408 |
| 975 | 1968005 | CONNECTOR:ME03-96S,M4R1-A3 | 1103270350 | MELCO | 96 |
| 976 | 1971802 | TRAY:DRIP TRAY ASSY FOR CAB UNIT | 336507 | STONE | 1 |
| 977 | 1977606 | RING:RD60 X 25,FOR HORNSTAY | 5065054 | DUEWAG | 150 |
| 978 | 1984507 | CLAMPER ASSEMBLY | HH 92991 G06 | MELCO | 14 |
| 979 | 1984603 | SEPARATOR | HW 63277 G01 | MELCO | 8 |
| 980 | 1984718 | SEPARATOR | HW 51881 G03 | MELCO | 8 |
| 981 | 1984806 | PLATE:CANNON PLUG BASE PLATE,2 HALVES,ST | HY 48502 G01 | MELCO | 4 |
| 982 | 1984902 | PACKING | HY 48502 G03 | MELCO | 4 |
| 983 | 1985008 | CANNON PLUG BASE | HW 54074 G11 | MELCO | 4 |
| 984 | 1985104 | PACKING | HW 54074 G03 | MELCO | 4 |
| 985 | 1985219 | PACKING | 0C 0076-0-012 | MELCO | 40 |
| 986 | 1985307 | PIPE:AIR PIPE | HK 43808001 | MELCO | 4 |
| 987 | 1985403 | PIPE:AIR PIPE c/w RING AND NUT,COPPER | HK 43808002 | MELCO | 4 |
| 988 | 1985606 | PIPE:AIR PIPE | HK 43808004 | MELCO | 4 |
| 989 | 1985702 | PIPE:AIR PIPE | HK 43808005 | MELCO | 3 |
| 990 | 1985905 | PIPE:AIR PIPE | HK 43808034 | MELCO | 3 |
| 991 | 1986019 | HANDLE FOR MAIN SWITCH BOX ASSEMBLY | N301847 G01 | MELCO | 28 |
| 992 | 1986107 | LEVER | N301848001 | MELCO | 4 |
| 993 | 1986203 | SHAFT | N301849003 | MELCO | 4 |

| | | | | | |
|------|---------|--|----------------|-----------|-----|
| 994 | 1986318 | HOUSING:BEARING HOUSING | N301850 G03 | MELCO | 4 |
| 995 | 1986406 | SPRING:FOR MAIN/AUX SWITCH BOX | N402860001 | MELCO | 398 |
| 996 | 1986502 | GEAR WORKING | N402862001 | MELCO | 1 |
| 997 | 1986609 | GEAR WORKING | N402862002 | MELCO | 2 |
| 998 | 1986705 | FUSE CLIP | H338176002 | KHI | 6 |
| 999 | 1987003 | GASKET | H952007003 | MELCO | 7 |
| 1000 | 1987302 | COIL,BLOW OUT | HU12784G03 | KHI | 6 |
| 1001 | 1987409 | HORN,UPPER ARC: | H951994002 | MELCO | 6 |
| 1002 | 1987601 | CONTACT,FIXED | RL 11454 B 01 | KHI | 11 |
| 1003 | 1987708 | SPRING: UNIT CUT-OUT SWITCH SPRING | HG 78557002 | MELCO | 4 |
| 1004 | 1987804 | BEARING:DEEP GROOVE BALL BEARING,5MM BOR | 625 ZZ | NMB | 12 |
| 1005 | 1987919 | HOUSING:BEARING HOUSING(ELECTRO-PLATED S | HG 78052 G01 | MELCO | 6 |
| 1006 | 1988006 | SPRING | HG 78557001 | MELCO | 4 |
| 1007 | 1988102 | PACKING | HG 78051002 | MELCO | 12 |
| 1008 | 1988209 | BUSH:NYLON BUSH | OS 0151-0-029 | MELCO | 20 |
| 1009 | 1989607 | INSULATOR,BRAKE RESISTOR | M214659001 | KHI | 16 |
| 1010 | 1989703 | RESISTOR:0.1058 OHM | M351377G01 | KHI | 8 |
| 1011 | 1989818 | PACKING FOR UNIT SUPPORT ASSEMBLY | M439748002 (5) | MELCO | 30 |
| 1012 | 1989906 | PACKING | M439751003 (5) | MELCO | 30 |
| 1013 | 1990018 | RESISTOR:0.0832 OHM | M351376G01 | KHI | 12 |
| 1014 | 1990106 | RESISTOR,ASSY RESISTOR UNIT ASSY K2852 | H226870123 | KHI | 20 |
| 1015 | 1990405 | RESISTOR,UNIT ASSY K2026D | HW26869119 | KHI | 4 |
| 1016 | 1990501 | INSULATOR,SUPPORT: | M217168003 | MELCO | 27 |
| 1017 | 1990907 | LINER #10 (ACCESSORY FOR 139) | M217168003 | MELCO | 12 |
| 1018 | 1991002 | LINER #10 (ACCESSORY FOR 140) | M217168003 | MELCO | 12 |
| 1019 | 1991109 | LINER #10 (ACCESSORY FOR 141) | M217168003 | MELCO | 12 |
| 1020 | 1991408 | WIRE NET | HW 43455 G01 | MELCO | 10 |
| 1021 | 2001402 | SCREW:No.0 X 3/16"LG.METALLIC DRIVE(S ST | 91654 A054 | MCMMASTER | 430 |
| 1022 | 2011109 | PLATE:SHIELD PLATE ASSEMBLY | HL39008G04 | MELCO | 9 |
| 1023 | 2011205 | LOCK:KEY LOCK ASSY COMPLETE SET | HL39015G01 | MELCO | 6 |
| 1024 | 2011707 | PLATE:LABEL 'D',ALUMINIUM SHEET | HW54582002 | MELCO | 8 |
| 1025 | 2011803 | HANDLE:MAIN HANDLE & DEAD MANS ASSY COMP | HK43753G01 | MELCO | 1 |
| 1026 | 2011918 | KNOB: HANDLE | HY 42942 G02 | MELCO | 3 |
| 1027 | 2012005 | HANDLE:FOR MAIN HANDLE & DEAD MANS ASSY | HW54589G02 | MELCO | 2 |
| 1028 | 2012101 | SPRING | HW 18996002 | MELCO | 13 |
| 1029 | 2012208 | SPRING FOR MASTER CONTROLLER MAIN HANDLE | HY 48761001 | MELCO | 3 |
| 1030 | 2012304 | SPRING FOR MAIN CONTROLLER CAM SHAFT ASS | HG 13304001 | MITSUBI | 11 |
| 1031 | 2012419 | KNOB | HP 00332 G02 | MELCO | 2 |
| 1032 | 2012507 | HANDLE:FOR CAM SHAFT ASSY | HP00324003 | MELCO | 3 |
| 1033 | 2012603 | WHEEL:STAR WHEEL & KEY LOCK ASSY COMPLET | HK43756G02 | MELCO | 2 |
| 1034 | 2012806 | SPRING | HG 26169005 | MELCO | 4 |
| 1035 | 2012902 | SPRING | HY 58313002 | MELCO | 4 |
| 1036 | 2013008 | PACKING:FOR HOSTLER CONTROLLER | H495661006 | MELCO | 11 |
| 1037 | 2013104 | PLATE:MARK PLATE FOR COVER ASSEMBLY | HY 42948002 | MELCO | 6 |
| 1038 | 2013219 | SPRING | HE 19095003 | MELCO | 4 |
| 1039 | 2013518 | PLUG:1 BSP,MAGNETIC,ELECTRO-PLATED | 1103315120 | MELCO | 14 |
| 1040 | 2013702 | NUT:CASTLE,M48 X 2P(JIS G4051,S45C) | HG 35604001 | MELCO | 3 |
| 1041 | 2014107 | GASKET:G SIDE,FOR REDUCTION GEAR(WN-1033 | HN44991001 C | MELCO | 360 |
| 1042 | 2014203 | GASKET:P SIDE,FOR REDUCTION GEAR(WN-1033 | HN44992001 C | MELCO | 360 |
| 1043 | 2014609 | PACKING CONSISTS OF 4 ITEM | SB260036-4 | SUNAZAKI | 10 |
| 1044 | 2014705 | PACKING:FOR ATO/ATP DISCONNECTION BOX | SB260036-3 | SUNAZAKI | 30 |
| 1045 | 2014801 | PACKING CONSISTS OF 4 ITEM,FOR ATO BOX | SB260037-4 | SUNAZAKI | 10 |
| 1046 | 2014908 | PACKING:FOR ATO DISCONNECTION BOX | SB260037-3 | SUNAZAKI | 120 |
| 1047 | 2016102 | SWITCH, AUXILIARY ASSEMBLY | RC01441L07 | MELCO | 4 |
| 1048 | 2016209 | PCB: MN-GA-15A | RL80045L01 | MELCO | 8 |
| 1049 | 2016508 | PCB: MN-GDO-3-A001 | RL80120L1A | MELCO | 8 |
| 1050 | 2016604 | PCB: MN-DMC-1-A003 | RL80127L02 | MELCO | 6 |
| 1051 | 2017105 | PCB: MN-DISM A001 | RL80128L01 | MELCO | 10 |
| 1052 | 2017201 | PCB: MN-LOG-103C | RL80054L01 | MELCO | 9 |
| 1053 | 2017308 | PCB: MN-OPC-42B | RL80051L03 | MELCO | 10 |
| 1054 | 2017607 | PCB: MN-LOG-101C | RL80053L01 | MELCO | 10 |
| 1055 | 2017818 | ISOLATION AMPLIFIER BOARD REMARK CD(COMP | RL09769L06 | MELCO | 1 |
| 1056 | 2018001 | SWITCH,PUSH:125VAC 5A,300VAC 3A,RED COLO | HW78546001 | MELCO | 1 |
| 1057 | 2018108 | SWITCH,PUSH:125VAC 5A,300VAC 3A,GREEN CO | HY48754003 | MELCO | 6 |
| 1058 | 2018204 | SWITCH, PUSH - ABN130G | HY48754007 | MELCO | 109 |
| 1059 | 2018319 | SWITCH,PUSH:125VAC 5A,300VAC 3A,BLACK CO | HY48754006 | MELCO | 6 |
| 1060 | 2018407 | SWITCH,PUSH:WHITE COLOUR | HW78546002 | MELCO | 7 |
| 1061 | 2018706 | PCB: MN-BGP-1A | RL80055L01 | MELCO | 9 |
| 1062 | 2018802 | PCB: MN-FGP-1E | RL80047L01 | MELCO | 9 |
| 1063 | 2018909 | PCB: MN-GDO-3-A002 | RL80120L1B | MELCO | 10 |
| 1064 | 2019119 | PCB: MN-LOG-105A | RL80119L03 | MELCO | 10 |

| | | | | | |
|------|---------|--|-------------------|----------|-----|
| 1065 | 2019207 | PCB:MN-DC-47E | RL80048L01 | MELCO | 6 |
| 1066 | 2019303 | PCB: MN-FDB-15C | RL80006L01 | MELCO | 8 |
| 1067 | 2019709 | PCB: MN-MRY-21C | RL09904L02 | MELCO | 1 |
| 1068 | 2019805 | PCB: MN-ACOM-3C | RL09975L01 | MELCO | 1 |
| 1069 | 2020208 | AMPLIFIER ASSEMBLY | HK45653G11 | MELCO | 6 |
| 1070 | 2020304 | TERMINAL BLOCK ASSEMBLY | SB360003-G4 | SUNAZAKI | 6 |
| 1071 | 2020419 | TERMINAL BLOCK ASSEMBLY | SB360003-G3 | SUNAZAKI | 6 |
| 320 | 378118 | GASKET:100MM X 90MM X 1.5MM THK,NEOPRENE | J86509/004 | WBL | 49 |
| 1073 | 2021307 | RESISTOR:500 OHM,10W | GH10W 500 OHMJ(S) | KHI | 4 |
| 1074 | 2021518 | PIPE:1/4" X 1077MM LG,SCH 40(S STEEL) | 2M 5325 CO-001 | KHI | 4 |
| 1075 | 2021606 | PIPE:1/4" X 597MM LG,SCH 40(S STEEL) | 2M 5325 CO-002 | KHI | 4 |
| 1076 | 2021702 | PIPE:1/4" X 995MM LG,SCH 40(S STEEL) | 2M 5325 CO-003 | KHI | 4 |
| 1077 | 2021809 | PIPE:1/4" X 332MM LG,SCH 40(S STEEL) | 2M 5325 CO-005 | KHI | 4 |
| 1078 | 2021905 | PIPE:1/4" X 144MM LG,SCH 40(S STEEL) | 2M 5325 CO-006 | KHI | 53 |
| 1079 | 2022019 | PIPE:1/8" X 960MM LG,SCH 40(S STEEL) | 2M 5325 CO-007 | KHI | 1 |
| 1080 | 2022107 | PIPE:1/8" X 1048MM LG,SCH 40(S STEEL) | 2M 5325 CO-008 | KHI | 4 |
| 1081 | 2022203 | PIPE:1/8" X 260MM LG,SCH 80(S STEEL) | 2M 5325 CO-009 | KHI | 1 |
| 1082 | 2022318 | PIPE:1/4" X 143MM LG,SCH 40(S STEEL) | 2M 5325 CO-029 | KHI | 11 |
| 321 | 378302 | KIT,CONNECTOR: | J75108/1293 | WBL | 2 |
| 1084 | 2023804 | PISTON AND PIN:FOR EMU AIRCON COMPRESSOR | 710520 | STONE | 100 |
| 1085 | 2026407 | PIPE:1/8" X 141MM LG,SCH 40(S STEEL) | 2M 5325 CO-010 | KHI | 8 |
| 1086 | 2039806 | WASHER,FLAT:40 o/d x 30 i/d x 1MM THK,FI | 15-23-01-039-0 | KONI | 464 |
| 1087 | 2044306 | CORE ASSEMBLY:FOR VX3 | VX 031-005-3 | SMC | 8 |
| 1088 | 2044509 | CORE ASSEMBLY FOR VX2 | VX 031-002-3 | SMC | 10 |
| 1089 | 2044605 | SPRING: RETURN | VX 050-002 | SMC | 5 |
| 328 | 414609 | MODULE COMPLETE:FOR M1 CAR UNIT | D85300/1251 | WBL | 1 |
| 329 | 414705 | MODULE COMPLETE FOR M2 CAR UNIT | D85300/1191 | WBL | 1 |
| 332 | 431601 | O-RING:6MM ID X 1.7MM DIA C/S,NITRILE | J80068/16 | WBL | 11 |
| 360 | 650505 | WASHER,FLAT:M4 X 1.5MM THK(FIBRE) | A70115/82 | WBL | 30 |
| 1094 | 2051805 | CAP:V-PACKING HOLDER CAP | 1922411977401 | NABCO | 20 |
| 1095 | 2052509 | GUIDE | 5353407548201 | NABCO | 4 |
| 1096 | 2052808 | PISTON ASSEMBLY (INCLUDES 14 & 15) | 1414407032671 | NABCO | 16 |
| 1097 | 2053309 | SETSCREW:SQ. HEAD,M6 X 30MM LG (STEEL)DO | 5141903043701 | NABCO | 8 |
| 1098 | 2055806 | COVER:PROTECTIVE FOR TERMINAL BLOCK TS 6 | TS-0602 | KIMUDEN | 16 |
| 1099 | 2057019 | TERMINAL BLOCK | HN 21310-62 | FUJI | 1 |
| 1100 | 2058409 | BLOCK,TERMINAL: | 115156 | STONE | 49 |
| 1101 | 2060808 | MOLDING | 2 F 3853-1-001 | KHI | 4 |
| 1102 | 2060904 | PAD,TAPPING: | 0 F 0085-1-012 | KHI | 10 |
| 1103 | 2061018 | MOLDING | 2 F 3809-2-000 | KHI | 10 |
| 1104 | 2061202 | PAD,TAPPING: | 0 F 0085-2-012 | KHI | 10 |
| 1105 | 2061405 | WEAR STRIP | 1 F 2892-0-004 | KHI | 20 |
| 1106 | 2061501 | MOLDING | 2 F 3799-1-000 | KHI | 4 |
| 1107 | 2061608 | RAIL | 1 F 3093-1-004 | KHI | 4 |
| 1108 | 2061704 | RAIL | 1 F 3093-1-005 | KHI | 4 |
| 1109 | 2061819 | RAIL:(#1, 2 & 10) | 1 F 4076-1-100 | KHI | 4 |
| 1110 | 2062002 | HINGE (#1 TO 3) | 1 G 4068-0-100 | KHI | 2 |
| 1111 | 2062205 | SOCKET:FEMALE,FOR BATTERY CONTACTOR | HA 30394-14 | KHI | 7 |
| 1112 | 2064518 | COCK:3-WAY ISOLATION COCK | 2 V 6447-0-000 | KHI | 3 |
| 1113 | 2064702 | SOCKET 8 CONTACTS (TD) | HA30394-12 | TOYO | 12 |
| 1114 | 2066302 | BLOCK:FIXED CONTACT BLOCK | J80077/18 | WBS | 50 |
| 1115 | 2066409 | PLATE:COVER PLATE | J72128/29 | WBS | 20 |
| 1116 | 2067305 | FAN | B79154/1 | WBS | 3 |
| 378 | 841918 | CONNECTOR KIT, J75108/1314 | J75108/1314 | WBL | 10 |
| 1118 | 2067807 | STUD:M8 x 1.25P x 57MM LG,ELECTRO-PLATED | 77758620 | WBS | 30 |
| 1119 | 2067903 | SPACER:19.95 o/d x 48.2 LG FOR DUMP MAGN | J78522/001 | WBS | 42 |
| 567 | 1603903 | CATCH:SAFETY CATCH,RIGHT HAND,STEEL | A89637/10 | WBL | 12 |
| 1121 | 2068607 | BALL:1/4" DIA,STAINLESS STEEL | 77038007 | WBS | 382 |
| 1122 | 2071902 | TRACK:TOP DOOR TRACK,LH | 1 F 2708-1-001 | KHI | 4 |
| 1123 | 2072008 | TRACK:TOP DOOR TRACK,RH OPP HAND | 1 F 2708-2-001 | KHI | 4 |
| 1124 | 2072104 | PLATE:WEATHER STRIP PLATE | 2 F 5123-1-003 | KHI | 4 |
| 1125 | 2081801 | WASHER,FLAT:25.5 o/d x 8.5 i/d x 2 THK,G | B 25989 | KNORR | 418 |
| 1126 | 2082003 | NEEDLE ROLLER:A3 X 23, 8G3 | 458383 | KNORR | 30 |
| 1127 | 2082302 | CIRCLIP:INTERNAL,#31 X 1.2MM,DIN 472 | 465 892 | KNORR | 248 |
| 1128 | 2082601 | SCREW PLUG:AM 12 X 1.5 ST | 453954 | KNORR | 8 |
| 1129 | 2083102 | NIPPLE:REDUCTION (VALVE SEAT) | 4B 88980 | KNORR | 46 |
| 1130 | 2083209 | PISTON ROD FOR AIR LEVELING VALVE | 4 B 31017 | KNORR | 93 |
| 1131 | 2083305 | SPRING:COMPRESSION,1.65MM c/s x 8.4MM i/ | B 76130 | KNORR | 42 |
| 1132 | 2083401 | PISTON | B 31018 | KNORR | 161 |
| 1133 | 2083604 | CARRIER | I 58173 | KNORR | 78 |
| 1134 | 2087007 | CAM | 40-SK-3872-4(3)B | KHI | 2 |
| 1135 | 2087103 | HOSE:TYPE 17 | 40-SK-4182:01(4)G | KHI | 3 |

| | | | | | |
|------|---------|--|----------------------|---------|-------|
| 1136 | 2089619 | COUPLING:ELECTRICAL COUPLING | 08.53.30 BSP | KHI | 2 |
| 1137 | 2089707 | COVER FOR WIPER ENGINE | IR 3301-0-002 | KHI | 49 |
| 1138 | 2093108 | CLEAT | HW 43415 G 01 | MELCO | 9 |
| 1139 | 2093407 | FLINGER:OIL FLINGER - PO | HW 43113001 | MELCO | 3 |
| 1140 | 2093503 | NUT:BEARING NUT,M36 X 10MM THK,STEEL | HG 64248003 | MELCO | 10 |
| 1141 | 2093618 | PLUG ASSEMBLY,COMPLETE SET | HW63006G11 | MELCO | 4 |
| 1142 | 2094004 | TRANSFORMER,DC CURRENT | HL59063G01 | MELCO | 2 |
| 1143 | 2094303 | INSULATOR MOUNTING BASE | HU 75812007 | MELCO | 12 |
| 1144 | 2094418 | BASE,TERMINAL BLOCK | HL39197G01 | MELCO | 4 |
| 1145 | 2094506 | BASE, TERMINAL BLOCK | HL39197G12 | MELCO | 4 |
| 1146 | 2094901 | PLATE:CONNECTING PLATE | HW 63041001 | MELCO | 4 |
| 1147 | 2095007 | CLAMPER:PIPE CLAMPER | HM 28095 G 12 | MELCO | 16 |
| 1148 | 2095103 | PANEL ASSEMBLY FOR FUSE | N100794G02 | MELCO | 2 |
| 1149 | 2095306 | TERMINAL BLOCK | N402929001 | MELCO | 4 |
| 1150 | 2095402 | TERMINAL BLOCK | N402929002 | MELCO | 4 |
| 1151 | 2095701 | CONTACT PART ASSEMBLY,UPPER | HA82235G03 | MELCO | 2 |
| 1152 | 2095808 | CONTACT PART ASSEMBLY,LOWER | HA82236G05 | MELCO | 2 |
| 1153 | 2096018 | CAM ARRANGEMENT FOR UP-2921, LB1 USE | P/B (HW 78137-4) NO. | MELCO | 4 |
| 1154 | 2096106 | GUIDE,UPPER ARC:(BLOW-OUT COIL ASSEMBLY) | HW 78138-11 | MELCO | 4 |
| 1155 | 2096202 | CORE | HN 74836 G 03 | MELCO | 2 |
| 1156 | 2096309 | CYLINDER | HJ 75532 G 09 | MELCO | 5 |
| 1157 | 2096405 | LOWER ARC HORN | HJ 33530012 | MELCO | 5 |
| 1158 | 2096501 | BASE,TERMINAL | HJ45622001 | MELCO | 2 |
| 1159 | 2096819 | BASE,TERMINAL | M351378001 | MELCO | 4 |
| 1160 | 2096907 | COVER:CONNECTING COVER | M 453417001 | MELCO | 2 |
| 1161 | 2097002 | COVER:CONNECTING COVER | M 453418001 | MELCO | 2 |
| 1162 | 2097109 | COVER:CONNECTING COVER | M 453419001 | MELCO | 2 |
| 1163 | 2097205 | COVER:CONNECTING COVER | M 453428 G 01 | MELCO | 2 |
| 1164 | 2097301 | BAR:CONNECTING BAR | M453429 G 01 | MELCO | 3 |
| 1165 | 2097408 | PISTON | H 481090002 | MELCO | 12 |
| 1166 | 2097504 | MOV FINGER FOR PRESSURE SWITCH ASSEMBLY | H 878489 G 01 | MELCO | 53 |
| 1167 | 2097707 | FIXED FINGER FOR PRESSURE SWITCH ASSEMBL | HN 61626001 | MELCO | 252 |
| 1168 | 2097803 | SHUNT BOARD, COMPLETE SET | HW51229G01 | MELCO | 2 |
| 1169 | 2097918 | INSULATE BASE - U | HJ 12089 G 01 | MELCO | 2 |
| 1170 | 2098005 | INSULATE BASE - L | HJ 45652 G 21 | MELCO | 2 |
| 1171 | 2103409 | TRANSFORMER,POTENTIAL:200/240V(IN),60VDC | 61851817 | WSL | 1 |
| 1172 | 2103505 | PCB: DISPLAY DRIVER CARD(300MA) | - | CARTNER | 28 |
| 1173 | 2118002 | FASTENER FOR CAB PARTITION DOOR LOUVRE A | 1H 4113-1-200 | KHI | 4 |
| 1174 | 2129318 | PIPE:AIR CONNECTION ENVELOPE | 40-3552.04-2 (4) | KHI | 2 |
| 1175 | 2135101 | SPRING FOR A-SIDE DOOR LOCK ASSY (DT-CAR | 2 F 3780-1-007 | KHI | 3 |
| 1176 | 2137908 | SPRING | 2G4907-0-000 | KHI | 10 |
| 1177 | 2139903 | SEAL,RUBBER:"E" CROSS-SECTION STRIP,3.5M | 1G3511-0-003 | KHI | 85 |
| 1178 | 2141819 | BRIDGE:PORTABLE BRIDGE DEVICE,ALUMINIUM | 1C4683-0-000 | KHI | 2 |
| 1179 | 2142205 | PANEL,CAB CONSOLE LED: | 1R4817-0-000 | TOYO | 4 |
| 1180 | 2158004 | TERMINAL BOARD | YC11677 | YASHIRO | 8 |
| 1181 | 2158119 | TERMINAL BOARD | YC11678 | YASHIRO | 10 |
| 1182 | 2166004 | WASHER:FOR MAIN SWITCH BOX ASSEMBLY | T417794005 | MELCO | 16 |
| 1183 | 2171903 | SLIDE BUSH | J78693/001 | KHI | 30 |
| 1184 | 2182805 | STOPPER FOR AUXILIARY SWITCH BOX ASSEMBL | N 301851006 | MELCO | 2 |
| 1185 | 2182901 | SPACER FOR AUXILIARY SWITCH BOX ASSEMBLY | N 402872001 | MELCO | 1 |
| 1186 | 2183007 | MOUNTING PLATE FOR MAIN SWITCH BOX ASSEM | N 402865003 | MELCO | 2 |
| 1187 | 2183218 | MOUNTING PLATE FOR MAIN SWITCH BOX ASSEM | N 402865004 | MELCO | 3 |
| 1188 | 2183402 | PIPE HISHI TUBE-Y (10 X 0.5 - 40) | 116373105 B | MELCO | 8 |
| 1189 | 2183509 | WIRE,CONNECTING - 0.5M | N100767067 | MELCO | 2 |
| 1190 | 2183605 | MECHANISM ASSEMBLY FOR MAIN SWITCH BOX | N 100767 G 07 | MELCO | 2 |
| 1191 | 2183808 | STOPPER FOR MAIN SWITCH BOX ASSEMBLY | N 301851005 | MELCO | 2 |
| 1192 | 2183904 | CAM:WORKING CAM FOR MAIN SWITCH BOX ASSE | N 402863002 | MELCO | 2 |
| 1193 | 2185109 | PCB: RELAY BOARD-FOR 'DIR' ALARM MODIFIC | 3D90003 | KHI | 6 |
| 570 | 1604703 | LATCH,TOGGLE | B877092/001 | WBL | 4 |
| 573 | 1605802 | PLATE:DELIVERY VALVE SPRING PLATE | J 70564/28 | WBL | 12 |
| 574 | 1605909 | PLATE:SUCTION VALVE SPRING PLATE | J 70564/49 | WBL | 12 |
| 575 | 1606207 | DIAPHRAGM:LOWER | A76515/1 | WBL | 40 |
| 586 | 1654006 | NIPPLE:GREASE,M8,SPHERICAL HEAD (GALVD S | 7755224 | WBL | 6 |
| 587 | 1654209 | BUSH:CONDUIT BUSH,18MM i/d x 28MM LG,GAL | J78237/001 | WBL | 9 |
| 588 | 1654305 | CABLE:WIRING,56/0.30 516 TB 2 RED | 77122474 | WBL | 19 |
| 589 | 1654508 | WASHER,FLAT:M6 X 3MM THK(FIBRE,GREEN) | 75000121 | WBL | 15 |
| 590 | 1654719 | CATCH:SAFETY CATCH,LEFT HAND | A89637/9 | WBL | 12 |
| 591 | 1655519 | O-RING: | J76151/079 | WBL | 200 |
| 1204 | 2192501 | PIN,CONTACT:AWG #12,CRIMP TYPE (MALE) | 030-50366 | JAE | 1,344 |
| 1205 | 2192704 | CONTACT,DUMMY: AWG #12, PLASTIC, YELLOW | 225-50002 | JAE | 280 |
| 1206 | 2195702 | SPRING:FOR HYDRAULIC PRESS PISTON,OMCN 1 | OMCN 154 | X | 2 |

| | | | | | |
|------|---------|--|----------------|------------|-------|
| 1207 | 2197118 | CLAMP:CABLE,FOR TRACTION MOTOR CAB | OMCN 154 | X | 2 |
| 1208 | 2201519 | SCREW:ALLEN,1/4 UNC X 20TPI X 5/8"LG(S S | OMCN 154 | X | 1,126 |
| 1209 | 2202001 | GRILLE:FOR EMU P.A. SPEAKER SYSTEM | 1J 4767-0-003 | KHI | 9 |
| 1210 | 2205608 | ARM | H 875569003 | NSK | 5 |
| 1211 | 2205819 | INSULATED LINK BAR | N 301853002 | MELCO | 18 |
| 1212 | 2205907 | ROD:CONNECTING ROD | N 402972002 | MELCO | 10 |
| 1213 | 2206301 | COUPLING ASSY:INS | HP 26521 G 01 | MELCO | 6 |
| 1214 | 2206803 | GEAR | HY 42935002 | MELCO | 1 |
| 1215 | 2206918 | LINK-1 | HP 39929001 | MELCO | 2 |
| 1216 | 2207005 | LINK-2 | HW 54597003 | MELCO | 2 |
| 1217 | 2207101 | SHAFT | HG 19587006 | MELCO | 2 |
| 1218 | 2207208 | SHAFT | HG 19587007 | MELCO | 2 |
| 1219 | 2207507 | LINK-3 | HY 42972001 | MELCO | 2 |
| 1220 | 2207603 | COLLAR | HY 48468002 | MELCO | 2 |
| 1221 | 2208219 | BRACKET FOR BEARING CAM | HY 58315001 | MELCO | 2 |
| 1222 | 2208403 | SPRING SHOE | H 866753001 | MELCO | 10 |
| 1223 | 2210001 | RETAINER RING (TEFLON) | 2 G 6438-0-003 | KHI | 39 |
| 1224 | 2212605 | COVER FOR AUXILLARY SWITCH (ACRYLIC) | HN 20202001 | MELCO | 17 |
| 1225 | 2214803 | WASHER:63.5 ID X 155 OD X 11.8 THK(SS 41 | HF 90051004 | MELCO | 19 |
| 1226 | 2218919 | BOX:JUNCTION (1) FOR MAIN MOTOR CABLE BO | YB 10918 | YASHIRO | 4 |
| 1227 | 2219006 | SUPPORT:CABLE SUPPORT | YD 11943-2 | YASHIRO | 10 |
| 1228 | 2219102 | SUPPORT:CABLE SUPPORT | YD 11957-2 | YASHIRO | 10 |
| 1229 | 2219209 | SUPPORT:CABLE SUPPORT | YD 11943-1 | YASHIRO | 10 |
| 1230 | 2219305 | SUPPORT:CABLE SUPPORT | YD 11957-1 | YASHIRO | 10 |
| 1231 | 2219401 | PACKING | YD 11958-1 | YASHIRO | 20 |
| 1232 | 2219508 | COVER | YB 10920 | YASHIRO | 4 |
| 1233 | 2219604 | BOX:JUNCTION (2) FOR MAIN MOTOR CABLE BO | YB 10930 | YASHIRO | 3 |
| 1234 | 2219719 | SUPPORT:CABLE SUPPORT | YD 11963 | YASHIRO | 10 |
| 1235 | 2219807 | SUPPORT:CABLE SUPPORT | YD 11964 | YASHIRO | 10 |
| 1236 | 2219903 | SUPPORT:CABLE SUPPORT | YD 11965 | YASHIRO | 10 |
| 1237 | 2220103 | PACKING | YD 11966 | YASHIRO | 17 |
| 1238 | 2220218 | COVER | YD 10931 | YASHIRO | 4 |
| 1239 | 2220306 | PISTON:FOR PUSH-BACK CYLINDER | 1922411977901 | NABCO | 164 |
| 1240 | 2220509 | NUT (COPPER) | 1927412336201 | NABCO | 5 |
| 1241 | 2221202 | OPTO-COUPLER (CNY65) | TFK4 | TELEFUNK | 10 |
| 1242 | 2221309 | PLUNGER,MOVING CONTACT:FOR CONTACTOR | 707836 | STONE | 20 |
| 1243 | 2223902 | SHIM:36 X 19 X 1MM C/W HOLES,STAINLESS S | 707836 | STONE | 3,010 |
| 1244 | 2224008 | SHIM:36 X 19 X 3MM C/W HOLES,STAINLESS S | 707836 | STONE | 1,334 |
| 1245 | 2225203 | SHIM,CHEVRON:1MM THK | 707836 | STONE | 80 |
| 1246 | 2227209 | PLUG,BODY | USC-1-2-303G3 | YUTAKA | 2 |
| 1247 | 2245503 | SPRING:TORSIONAL,FOR CAB DRIVER SEAT | POE 54960 | KHI | 83 |
| 1248 | 2247007 | EMERGENCY DOOR + HINGE | 1 G 4096-0-000 | KHI | 5 |
| 1249 | 2252009 | GASKET:51 OD X 34 ID X 17MM THK,SILICON | USE-1-6-200G2 | YUTAKA | 27 |
| 677 | 1782008 | FLOAT:FOR F13 MK3 COMPRESSED AIR FILTER | C76975/146 | WBL | 16 |
| 1251 | 2257109 | WIPER FOR AUTOMATIC COUPLER | PG-25 | SCHAKU | 2 |
| 1252 | 2258208 | SHANT FOR MAIN/AUXILIARY SWITCH BOX | N 402942 G 01 | MELCO | 19 |
| 1253 | 2272501 | BEARING:UNIT,ASSY-C INCLUDING 80-88,65,7 | HL 19858 G06 | MELCO | 2 |
| 1254 | 2272608 | EMERGENCY DOOR ASSEMBLY | 1 G 3491-0-000 | KHI | 2 |
| 1255 | 2274101 | CONNECTOR,ELECTRICAL: STRAIGHT PLUG TYPE | QE4301-50S-F0 | JAE | 4 |
| 1256 | 2274304 | CONTACT BLOCK:"SNAP-FIT" TYPE, NO (GREEN | TW-C10 | IDEC | 48 |
| 679 | 1782307 | FILTER ELEMENT: | J74953/4 | WBL | 15 |
| 1258 | 2325319 | SHAFT FOR EMU PARTITION DOOR (LOCK BOLT) | 2 H 3704-0-000 | KHI | 4 |
| 1259 | 2325407 | SHAFT FOR EMU PARTITION DOOR (LOCK BOLT) | 2 H 3705-0-000 | KHI | 4 |
| 1260 | 2325503 | BOLT:EYE BOLT c/w 2 HEX NUTS FOR PARTITI | 2 H 3706-0-000 | KHI | 4 |
| 1261 | 2340105 | BUSH FOR PARTITION DOOR | 0H0066-0-055 | KHI | 4 |
| 1262 | 2342004 | MICROCIRCUIT:PMI REF02DP (1C5) | 709835-1 | STONE | 10 |
| 1263 | 2342119 | MICROCIRCUIT:PMI REF02CP (1C3) | 709835-2 | STONE | 10 |
| 1264 | 2342207 | TRANSISTOR:IRF 820 (TR1-9)(SGS) | 712053 | STONE | 10 |
| 1265 | 2400809 | PIN,SPRING:M10 X 90MM LG (SPRING STEEL) | 712053 | STONE | 353 |
| 1266 | 2463009 | RECEPTACLE ASSY: | USB-9078-1 | YUTAKA | 7 |
| 1267 | 2463906 | PLUG ASSY: | USB-9078-10 | YUTAKA | 5 |
| 1268 | 2464108 | CYLINDER,PUSH-BACK:FOR DOOR ACTUATOR | 1922411977501 | NABCO | 40 |
| 1269 | 2464204 | ROD:TRANSFER VALVE ROD FOR WIPER ENGINE | 5162407266101 | NABCO | 44 |
| 1270 | 2464407 | WEATHER STRIP:LINTEL COVER,1420MM LG | E2688-0-019 | KHI | 20 |
| 1271 | 2467907 | SETSCREW:HEX SOCKET,1/4 UNF X 1/2"LG(S S | 712431 | STONE | 10 |
| 1272 | 2474509 | DIODE:2.5A,1200V,TYPE:DO7-15 | DO7-15 | X | 10 |
| 1273 | 2476504 | PIPE:1/4" X 340MM LG,SCH 40(S STEEL) | 2M 5325 CO-004 | KHI | 9 |
| 1274 | 2479406 | TRANSISTOR,POWER DARLINGTON | EVK75-050 | FUJI | 5 |
| 1275 | 2479502 | TRANSISTOR,POWER DARLINGTON | ETG81-050 | FUJI | 4 |
| 1276 | 2479609 | TRANSISTOR | 2SC 2506 | mitsubishi | 20 |
| 1277 | 2479705 | TRANSISTOR | 2SC 310 | mitsubishi | 20 |

| | | | | | |
|------|---------|--|--------------------|----------|-------|
| 1278 | 2479801 | TRANSISTOR | 2SD 185 | FUJI | 20 |
| 1279 | 2479908 | DIODE | 1S 954 | X | 30 |
| 1280 | 2480108 | DIODE | F 14D | X | 30 |
| 1281 | 2480204 | DIODE,ZENER | RD 16E-B | X | 20 |
| 1282 | 2480319 | DIODE,ZENER | RD 62E-B | X | 20 |
| 1283 | 2480407 | CRYSTAL:1.8432MHZ | 220A-6B | TOYO-COM | 5 |
| 1284 | 2480503 | MODULE,CRYSTAL OSCILLATOR:1.8432MHZ | TCO-707F | TOYO-COM | 10 |
| 1285 | 2481207 | MICROCIRCUIT:INTERFACE ANALOG-TO-DIGITAL | AD 578JN | AD | 10 |
| 1286 | 2481709 | MICROCIRCUIT | M 53204P | mitsubi | 20 |
| 1287 | 2482103 | MICROCIRCUIT:ARITHMETIC PROCESSOR | C8231A | X | 20 |
| 1288 | 2495203 | PACKING,PISTON: | DE 50 | GACO | 858 |
| 1289 | 2495318 | MICROCIRCUIT | D 4584BC | NEC | 20 |
| 1290 | 2495502 | MICROCIRCUIT | TC 40H158 | TOSHIBA | 20 |
| 1291 | 2495609 | MICROCIRCUIT | M 53238 | MITSUBI | 20 |
| 1292 | 2495705 | MICROCIRCUIT:PAL CHIP | PAL 10H8A | MMI | 23 |
| 1293 | 2496206 | MICROCIRCUIT:COMPARATOR S.I.L. PACKAGE | M 51202L | MITSUBI | 20 |
| 1294 | 2501706 | CAPACITOR:2 UF,1000W VDC,DIS C6438,CP7 1 | CP711A | NICHICON | 8 |
| 680 | 1782518 | HANDLE:FOR BALL VALVE | J80067/73 | WBL | 4 |
| 682 | 1783019 | HANDLE:FOR BALL VALVE | J80067/6 | WBL | 4 |
| 683 | 1783107 | HANDLE: | J80033/195 | WBL | 4 |
| 705 | 1801619 | WIRING HARNESS "Y" COMPLETE | D75448/96 | WBL | 4 |
| 1299 | 2518305 | PIN,SPRING:SPIRAL,DIA 2.3MM x 8MM LG,STE | 50-2.3 X 8 H 100 | HOERBIGE | 831 |
| 1300 | 2532203 | SPACER,NON-METALLIC:OD=22MM,ID=13MM,HT=8 | N-0001 | NARITA | 326 |
| 1301 | 2546103 | COVER:FOR PRESSURE SWITCH (EG) | HC38815G09 | MELCO | 20 |
| 1302 | 2547608 | MOUNTING:FOR MAIN SWITCH BOX | N301922001 | MELCO | 3 |
| 1303 | 2557208 | AUTOMATIC DRAIN MECHANISM: | 3000-10 | NORGREN | 21 |
| 1304 | 2568118 | PLATE:WEAR,780 X 12 X 5MM,POLYAMIDE | 2 F 3821-0-000 | KHI | 148 |
| 1305 | 2577719 | TERMINAL BLOCK:FOR CT/ZD11 CONTACTOR | 3954010 | ALLENWES | 32 |
| 1306 | 2582809 | COVER,BAND:STEEL,FOR EVAPORATOR MOTOR | 710602 | STONE | 6 |
| 1307 | 2582905 | BOX:TERMINAL BOX w/o COVER,ALUMINIUM ALL | 710604 | STONE | 5 |
| 1308 | 2583019 | COVER,TERMINAL BOX:W/O BOX,ALUM ALLOY | 710607 | STONE | 20 |
| 706 | 1801707 | LID,PLATE: COVER ANTI-DUST TOP & BOTTOM(| B85772/001 | WBL | 4 |
| 707 | 1802419 | SEAT,VALVE:FOR LOAD CUT-OFF VALVE | J73524/4 | WBL | 16 |
| 741 | 1825805 | CONNECTOR:PLUG HALF,FOR ENCODER UNIT | B81956/005 | WBL | 9 |
| 746 | 1826904 | ADAPTOR:MALE,FOR BRAKE FRAME OF DT CAR | 77003179 | WBL | 95 |
| 747 | 1827018 | NUT:TUBING,FOR BRAKE FRAME OF DT CAR | 77557471 | WBL | 150 |
| 748 | 1827106 | RING:COMPRESSION FOR 10MM OD TUBE (BRASS | 77722913 | WBL | 150 |
| 749 | 1827202 | CONNECTOR:BULKHEAD FOR BRAKE FRAME | J78846/001 | WBL | 3 |
| 750 | 1827309 | NUT:TUBING,FOR BRAKE FRAME OF DT CAR | 77557824 | WBL | 40 |
| 751 | 1827405 | RING:COMPRESSION FOR 16MM OD TUBE (BRASS | 77827581 | WBL | 40 |
| 752 | 1827501 | ELBOW:CONNECTOR ELBOW,BRASS FOR BRAKE FR | 77291265 | WBL | 20 |
| 813 | 1855705 | WIRING HARNESS 'Y' COMPLETE | D75448/97 | WBL | 4 |
| 814 | 1855801 | WIRING HARNESS 'Y' COMPLETE | D75448/98 | WBL | 4 |
| 815 | 1856118 | BUSH:BULKHEAD CONNECTOR BUSH,BRASS | 77239085 | WBL | 20 |
| 816 | 1856206 | BUSH:REDUCING,10MM X 5MM,BRASS,MALE & FE | 77239089 | WBL | 20 |
| 817 | 1856302 | BUSH:REDUCING,5MM X 4MM,BRASS,MALE & FEM | 77239090 | WBL | 20 |
| 818 | 1856409 | ELBOW:10MM X M15 (BRASS) MALE AND FEMALE | 77291238 | WBL | 70 |
| 819 | 1856505 | BOLT:M12 SPECIAL(ELECTRO-PLATED STEEL) | J78847/001 | WBL | 30 |
| 820 | 1856601 | ADAPTOR STRAIGHT MALE(BRASS)MALE & FEMAL | 77003198 | WBL | 30 |
| 821 | 1856708 | TEE:CONNECTION(BRASS) | 77791220 | WBL | 10 |
| 1328 | 2588901 | LAMP,INCANDESCENT:120V,7W,SCREW IN TYPE | E4-1 | IDEC | 3 |
| 1329 | 2591908 | TUBE:HIGH POWER XENON TUBE | 560-984 | RS | 13 |
| 1330 | 2594201 | NIPPLE:3/4 BSP,S STEEL | A 71 984 | FERRAZ | 25 |
| 1331 | 2600202 | RELAY:120V | HE 3621 A1210 9141 | HAMLIN | 447 |
| 1332 | 2602101 | CONTACT ASSEMBLY:WITH 2 CONTACT BLOCKS | ZB2-BZ104 | TELEMECA | 3 |
| 1333 | 2606604 | BOX:FOR MAIN SWITCH BOX ASSY | N100772 G04 | MELCO | 1 |
| 1334 | 2620318 | SOCKET,PIN:AWG 16S,CODE FINISH:A176 | 031-8555-115 | ITT | 1,260 |
| 1335 | 2635907 | CLAMP,TYPE B11,SUS 304 | 1 U 3223-0-201 | KHI | 4 |
| 1336 | 2636002 | CLAMP,TYPE B21,SUS 304 | 1 U 3223-0-208 | KHI | 1 |
| 1337 | 2636109 | CLAMP,TYPE B26,SUS 304 | 1 U 3223-0-211 | KHI | 3 |
| 1338 | 2636205 | SUPPORT:PIPE SUPPORT | G 6543 | KHI | 4 |
| 1339 | 2636301 | SUPPORT:PIPE SUPPORT | G 6544 | KHI | 2 |
| 1340 | 2636408 | SUPPORT:PIPE SUPPORT | G 6545 | KHI | 2 |
| 1341 | 2636504 | SUPPORT:PIPE SUPPORT | G 6546 | KHI | 2 |
| 1342 | 2636619 | SUPPORT:PIPE SUPPORT | G 659 | KHI | 4 |
| 1343 | 2636707 | PANEL:MELAMINE PANEL,4' x 8' x 1/16",BLU | DMA-X 2020 M | KHI | 2 |
| 1344 | 2636918 | PANEL:MELAMINE PANEL,4' x 8' x 1/16",BEI | DMA-34 M | KHI | 1 |
| 1345 | 2637101 | COVER:ACCESS COVER FOR M1 CAR | 413038-01 | KHI | 2 |
| 1346 | 2637208 | COVER:ACCESS COVER FOR DT CAR | 413038-02 | KHI | 1 |
| 1347 | 2637304 | COVER:ACCESS COVER FOR M2 CAR | 413038-03 | KHI | 2 |
| 1348 | 2637419 | COVER:ACCESS COVER FOR M1 CAR | 413037-01 | KHI | 1 |

| | | | | | |
|------|---------|--|----------------|-----|-----|
| 1349 | 2637507 | COVER:RAIN GUTTER COVER,ALUMINIUM ALLOY | 413037-01 | KHI | 3 |
| 1350 | 2637603 | HANDRAIL GRAB POLE | K 452004-02 | KHI | 3 |
| 1351 | 2637718 | PLATE:BASE PLATE FOR HANDRAIL GRAB POLE | C 186 | KHI | 4 |
| 1352 | 2637806 | SHIM:80 o/d X 0.8 THK FOR HANDRAIL GRAB | C 83 | KHI | 7 |
| 1353 | 2637902 | FLANGE FOR HANDRAIL GRAB POLE,A ALLOY | K 452005-12 | KHI | 7 |
| 1354 | 2638008 | COVER:ACCESS COVER | A 1304 | KHI | 1 |
| 1355 | 2638104 | COVER:CURVED WIRE DUCKING COVER,S STEEL | A 1826 | KHI | 2 |
| 1356 | 2638219 | COVER:CURVED WIRE DUCKING COVER,S STEEL | K 575021-02 | KHI | 2 |
| 1357 | 2638307 | COVER:ACCESS COVER c/w LOCK | A 0116 A | KHI | 3 |
| 1358 | 2638403 | COVER:ACCESS COVER c/w LOCK | A 0116 B | KHI | 1 |
| 1359 | 2638518 | COVER:ACCESS COVER UPPER FOR DETRAINMENT | K 413068-01 | KHI | 2 |
| 1360 | 2638606 | COVER:ACCESS COVER FOR #2 GANGWAY END KE | A 0522 | KHI | 2 |
| 1361 | 2638905 | PIPE:3/4" A/C DRAIN PIPE c/w NIPPLE,SUS | 001-000-46 | KHI | 4 |
| 1362 | 2639019 | STRIP:35 x 440 x 5MM THK,SOFT BOARD | W 938 | KHI | 6 |
| 1363 | 2639107 | STRIP:25 x 1200 x 3.5MM THK,SOFT BOARD | - | KHI | 107 |
| 1364 | 2639318 | STRIP:20 x 450 x 3.5MM THK,SOFT BOARD | W 413038-20 | KHI | 20 |
| 1365 | 2639406 | PIPE:A/C CONDENSATE DRAIN PIPE,GANGWAY E | 001-00768 | KHI | 4 |
| 1366 | 2639801 | STRIP:40 x 125 x 7MM THK,SOFT BOARD | W 0913 | KHI | 30 |
| 1367 | 2639908 | STRIP:40 x 225 x 3.5MM THK,SOFT BOARD | W 0936 | KHI | 7 |
| 1368 | 2640001 | STRIP:40 x 125 x 4MM THK,SOFT BOARD | W 0939 | KHI | 6 |
| 1369 | 2640108 | STRIP:25 x 30 x 7MM THK,SOFT BOARD | W 0940 | KHI | 10 |
| 1370 | 2640204 | STRIP:30 x 125 x 7MM THK,SOFT BOARD | W 0914 | KHI | 68 |
| 1371 | 2640319 | STRIP:35 x 60 x 5MM THK,SOFT BOARD | W 0937 | KHI | 11 |
| 1372 | 2640407 | BLOCK:30 x 30 x 15MM THK,3 PLY SOFT BOAR | W 0929 | KHI | 20 |
| 1373 | 2640503 | BOX:FIRE EXTINGUISHER BOX | 1 C 3005-1-000 | KHI | 1 |
| 1374 | 2640618 | HOLDER:ROPE HOLDER | 2 A 4107-0-000 | KHI | 2 |
| 1375 | 2641004 | CONNECTOR:UNION 3/4",BRONZE | U 551053-64 | KHI | 12 |
| 1376 | 2641119 | TRIM,ALUMINIUM ALLOY | S 1001 | KHI | 5 |
| 1377 | 2641207 | TRIM,ALUMINIUM ALLOY | S 1101 | KHI | 6 |
| 1378 | 2641418 | TRIM,ALUMINIUM ALLOY | S 1203 | KHI | 4 |
| 1379 | 2641805 | TRIM,ALUMINIUM ALLOY | S 1302 | KHI | 5 |
| 1380 | 2641901 | TRIM,ALUMINIUM ALLOY | S 1703 | KHI | 9 |
| 1381 | 2642103 | TRIM,ALUMINIUM ALLOY | S 5-1 | KHI | 2 |
| 1382 | 2642218 | TRIM,ALUMINIUM ALLOY | L 2203 | KHI | 5 |
| 1383 | 2642306 | TRIM,ALUMINIUM ALLOY | L 2506 | KHI | 2 |
| 1384 | 2642402 | TRIM,ALUMINIUM ALLOY | L 2525 | KHI | 2 |
| 1385 | 2642509 | TRIM,ALUMINIUM ALLOY | L 3531 | KHI | 2 |
| 1386 | 2642605 | TRIM,ALUMINIUM ALLOY | L 3504 | KHI | 1 |
| 1387 | 2642701 | TRIM,ALUMINIUM ALLOY | L 3506 | KHI | 1 |
| 1388 | 2642808 | TRIM,ALUMINIUM ALLOY | L 2544 | KHI | 2 |
| 1389 | 2642904 | TRIM,ALUMINIUM ALLOY | L 2545 | KHI | 2 |
| 1390 | 2643018 | TRIM,ALUMINIUM ALLOY | L 1540 | KHI | 2 |
| 1391 | 2643106 | TRIM,ALUMINIUM ALLOY | L 1541 | KHI | 2 |
| 1392 | 2643202 | TRIM,ALUMINIUM ALLOY | L 1542 | KHI | 2 |
| 1393 | 2643309 | TRIM,ALUMINIUM ALLOY | L 1543 | KHI | 2 |
| 1394 | 2643405 | TRIM,ALUMINIUM ALLOY | L 1544 | KHI | 2 |
| 1395 | 2643501 | TRIM,ALUMINIUM ALLOY | L 1545 | KHI | 2 |
| 1396 | 2643608 | TRIM,ALUMINIUM ALLOY | L 2534 | KHI | 2 |
| 1397 | 2643704 | TRIM,ALUMINIUM ALLOY | L 2004 | KHI | 7 |
| 1398 | 2643819 | TRIM,ALUMINIUM ALLOY | L 2003 | KHI | 7 |
| 1399 | 2643907 | TRIM,ALUMINIUM ALLOY | L 2005 | KHI | 14 |
| 1400 | 2644002 | TRIM,ALUMINIUM ALLOY | L 1579 | KHI | 2 |
| 1401 | 2644109 | TRIM,ALUMINIUM ALLOY | L 3536 | KHI | 2 |
| 1402 | 2644205 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1404 A | KHI | 3 |
| 1403 | 2644301 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1404 B | KHI | 2 |
| 1404 | 2644408 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1404 C | KHI | 2 |
| 1405 | 2644504 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1406 A | KHI | 3 |
| 1406 | 2644619 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1406 B | KHI | 2 |
| 1407 | 2644707 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1405 | KHI | 6 |
| 1408 | 2644803 | SUPPORT,SUS 304 | L 1417 A | KHI | 3 |
| 1409 | 2644918 | SUPPORT,SUS 304 | L 1417 B | KHI | 1 |
| 1410 | 2645005 | SUPPORT,SUS 304 | L 1417 C | KHI | 2 |
| 1411 | 2645101 | SUPPORT,SUS 304 | L 1418 | KHI | 7 |
| 1412 | 2645208 | SUPPORT,SUS 304 | L 1419 | KHI | 3 |
| 1413 | 2645304 | SUPPORT,SUS 304 | L 1420 | KHI | 7 |
| 1414 | 2645419 | SUPPORT,SUS 304 | L 1421 | KHI | 7 |
| 1415 | 2645603 | SUPPORT,SUS 304 | L 1424 | KHI | 7 |
| 1416 | 2645718 | SUPPORT,SUS 304 | L 1425 | KHI | 8 |
| 1417 | 2645806 | PLATE:COVERING PLATE,SUS 304 | L 1435 | KHI | 16 |
| 1418 | 2645902 | PLATE:COVERING PLATE,SUS 304 | L 1436 | KHI | 11 |
| 1419 | 2646008 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1485 | KHI | 2 |

| | | | | | |
|------|---------|--|----------------------|----------|-------|
| 1420 | 2646104 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1487 | KHI | 1 |
| 1421 | 2646219 | PLATE:SUB-FLOOR PLATE,SUS 304 | L 1491 | KHI | 2 |
| 1422 | 2646307 | SUPPORT,SUS 304 | L 6407 | KHI | 1 |
| 1423 | 2646403 | SUPPORT,SUS 304 | L 6461 | KHI | 17 |
| 1424 | 2646606 | PLATE:COVERING PLATE,SUS 304 | L 6456 | KHI | 2 |
| 1425 | 2646702 | PLATE:COVERING PLATE,SUS 304 | L 6459 | KHI | 2 |
| 1426 | 2646809 | PLATE:COVERING PLATE,SUS 304 | L 3520 | KHI | 2 |
| 1427 | 2646905 | PLATE:COVERING PLATE,SUS 304 | L 3521 | KHI | 2 |
| 1428 | 2647107 | PLATE:COVERING PLATE,SUS 304 | L 1524 | KHI | 2 |
| 1429 | 2647203 | PLATE,KICK:FOR M-CAR,SUS 304 | 1 C 3423-2-008 | KHI | 3 |
| 1430 | 2647318 | PLATE,KICK:FOR DT/M-CAR,SUS 304 | 1 C 3423-0-047 | KHI | 4 |
| 1431 | 2647406 | PLATE,KICK:FOR DT/M-CAR,SUS 304 | 1C 3425-0-007 | KHI | 7 |
| 1432 | 2647502 | SHIM | C 125 | KHI | 9 |
| 1433 | 2647609 | SHIM | C 127 | KHI | 25 |
| 1434 | 2647705 | SHIM | C 126 | KHI | 17 |
| 1435 | 2647801 | SHIM | C 192 | KHI | 7 |
| 1436 | 2647908 | SHIM | C 170 | KHI | 4 |
| 1437 | 2648003 | SHIM | C 194 | KHI | 4 |
| 1438 | 2648118 | SHIM | C 171 | KHI | 4 |
| 1439 | 2648206 | SHIM | C 195 | KHI | 4 |
| 1440 | 2648302 | SHIM | C 37 | KHI | 24 |
| 1441 | 2648409 | SHIM | C 36 | KHI | 11 |
| 1442 | 2648505 | SHIM | C 38 | KHI | 50 |
| 1443 | 2648708 | BRACKET,PRIMER PAINTED,MILD STEEL | G 911 | KHI | 10 |
| 1444 | 2648804 | BRACKET,PRIMER PAINTED,MILD STEEL | G 912 | KHI | 6 |
| 1445 | 2648919 | BRACKET,PRIMER PAINTED,MILD STEEL | G 913 | KHI | 7 |
| 1446 | 2649006 | BRACKET,PRIMER PAINTED,MILD STEEL | G 916 | KHI | 4 |
| 1447 | 2649102 | BRACKET,PRIMER PAINTED,MILD STEEL | G 917 | KHI | 3 |
| 1448 | 2649209 | BRACKET,PRIMER PAINTED,MILD STEEL | G 99 | KHI | 2 |
| 1449 | 2649305 | BRACKET,PRIMER PAINTED,MILD STEEL | G 939 | KHI | 57 |
| 1450 | 2649401 | BRACKET,PRIMER PAINTED,MILD STEEL | G 915 | KHI | 9 |
| 1451 | 2649508 | BRACKET,PRIMER PAINTED,MILD STEEL | G 910 | KHI | 2 |
| 1452 | 2649604 | BRACKET,PRIMER PAINTED,MILD STEEL | G 93 | KHI | 2 |
| 1453 | 2649807 | BRACKET,PRIMER PAINTED,MILD STEEL | C 57 | KHI | 2 |
| 1454 | 2649903 | BRACKET,PRIMER PAINTED,MILD STEEL | C 58 | KHI | 2 |
| 1455 | 2650007 | BRACKET,PRIMER PAINTED,MILD STEEL | C 150 | KHI | 2 |
| 1456 | 2650103 | BRACKET,PRIMER PAINTED,MILD STEEL | H 9002 | KHI | 4 |
| 1457 | 2650218 | BRACKET,PRIMER PAINTED,MILD STEEL | H 9003 | KHI | 4 |
| 1458 | 2650306 | BRACKET,PRIMER PAINTED,MILD STEEL | H 9004 | KHI | 2 |
| 1459 | 2650509 | BUSHING:15MM i/d,RUBBER | U 562011-01 | KHI | 8 |
| 1460 | 2650605 | BUSHING:25MM i/d,RUBBER | U 562011-07 | KHI | 2 |
| 1461 | 2650701 | SLEEVE:OVAL SHAPE RUBBER SLEEVE | U 553003-20 | KHI | 4 |
| 1462 | 2650808 | SLEEVE:ROUND SHAPE RUBBER SLEEVE | U 553004-14 | KHI | 16 |
| 1463 | 2650904 | SLEEVE:ROUND SHAPE RUBBER SLEEVE | U 553003-21 | KHI | 12 |
| 1464 | 2651018 | SLEEVE:SPLITTED RUBBER SLEEVE | U 553003-19 | KHI | 12 |
| 1465 | 2651106 | SLEEVE:OVAL SHAPE RUBBER SLEEVE | U 553004-13 | KHI | 4 |
| 1466 | 2651309 | RETAINER:15 x 55 x 2MM THK,S STEEL | U 553004-13 | KHI | 464 |
| 1467 | 2651608 | NUT:PLAIN,M8 x 1.25P x 6.5MM THK,GALVD S | 57118 | DUEWAG | 1,026 |
| 1468 | 2651907 | SETSCREW:M4 x 8MM LG,SPECIAL,SUS 304 | 57118 | DUEWAG | 8 |
| 1469 | 2655019 | PLATE WITH 2 x M16 HOLES,ZINC-CHROMAT PA | G 8-164 | KHI | 2 |
| 1470 | 2655318 | JOINT:CROSS JOINT FOR HANDRAIL GRAB POLE | G 8-164 | KHI | 165 |
| 1471 | 2655406 | JOINT:T-JOINT FOR HANDRAIL GRAB POLE,A A | G 8-164 | KHI | 36 |
| 1472 | 2655502 | FLANGE FOR HANDRAIL GRAB POLE w/o GROOVE | G 8-164 | KHI | 138 |
| 1473 | 2655801 | SHIM:192 o/d x 115 i/d x 4MM THK,ZINC-PL | 09 274 502 | DUEWAG | 23 |
| 1474 | 2658404 | SWITCH,POSITION:METAL CLAD | 3SE 3404-1B | SIEMENS | 66 |
| 1475 | 2659706 | LAMPHOLDER:COMPLETE BODY ASSEMBLIES | XBF-L01 | TELEMECA | 2 |
| 1476 | 2699003 | PLUG,VENT:FOR CELL | MB8-0-010 | HONDA | 45 |
| 847 | 1891706 | PIPE:U-SHAPED,7.5MM ID X 10MM OD,COPPER | D76700/005 | WBL | 5 |
| 848 | 1891802 | PIPE:BENDED,7.5 ID X 10MM OD X 389MM LG, | D76700/002 | WBL | 10 |
| 849 | 1891909 | PIPE:BENDED,7.5 ID X 10MM OD X 98MM LG,C | D76700/003 | WBL | 6 |
| 1480 | 2700318 | ADAPTOR:SS 41,FOR TWIN TOWER AIR DRYER | J 78434/002 | WBS | 12 |
| 850 | 1892004 | PIPE:STRAIGHT,13.5 ID X 16 OD X 200MM LG | D76700/004 | WBL | 2 |
| 851 | 1892119 | DIAPHRAGM:UPPER(GASKET) | J76151/1 | WBL | 100 |
| 852 | 1892207 | GLAND:7.96 ID X 11 OD X 5MM THK,BRASS | J80067/3 | WBL | 50 |
| 1484 | 2720108 | BOLT:M10 x 43MM LG,S STEEL,SPECIAL | 1 P 394152 & Z 41308 | KHI | 5 |
| 1485 | 2720706 | PLATE:SUB-FLOOR PLATE,S STEEL | L 1406 C | KHI | 2 |
| 1486 | 2720802 | TRIM:CURVED TRIM,2MM THK,ALUMINIUM ALLOY | S 1304 | KHI | 10 |
| 1487 | 2720909 | BAR:PROFILE ANGLE BAR,2 THK x 1490 LG,A | R 149048 | KHI | 2 |
| 1488 | 2721004 | FRAME:ACCESS COVER FRAME,ALUMINIUM ALLOY | R 149048 | KHI | 1 |
| 1489 | 2721207 | BRACKET,PRIMER PAINTED STEEL | HC-031 | KHI | 2 |
| 1490 | 2721303 | BRACKET,PRIMER PAINTED STEEL | HC-032 | KHI | 2 |

| | | | | | |
|------|---------|--|----------------------|----------|-----|
| 1491 | 2721418 | BRACKET,PRIMER PAINTED STEEL | HC-033 | KHI | 2 |
| 1492 | 2721506 | BRACKET,PRIMER PAINTED STEEL | HC-034 | KHI | 2 |
| 1493 | 2721602 | PLATE:PROFIED,ZINC-CHROMATE PAINTED STE | CO-158 | KHI | 16 |
| 1494 | 2721709 | PLATE:PROFIED,ZINC-CHROMATE PAINTED STE | CO-159 | KHI | 5 |
| 1495 | 2721805 | PLATE:PROFIED,ZINC-CHROMATE PAINTED STE | CO-160 | KHI | 2 |
| 1496 | 2721901 | PLATE:PROFIED,ZINC-CHROMATE PAINTED STE | CO-502 | KHI | 9 |
| 1497 | 2722007 | PLATE:PROFIED,ZINC-CHROMATE PAINTED STE | CO-503 | KHI | 3 |
| 1498 | 2722103 | PLATE:PROFIED,ZINC-CHROMATE PAINTED STE | K 412163-01 | KHI | 2 |
| 1499 | 2722218 | PLATE:30 x 40 x 1MM THK,ZINC-CHROMATE PA | K 412163-01 | KHI | 25 |
| 1500 | 2722402 | PLATE:32 x 32 x 1MM THK,ZINC-CHROMATE PA | K 412163-01 | KHI | 48 |
| 1501 | 2722509 | SPRING FOR B-SIDE DOOR LOCK ASSY (DT-CAR | 2 F 3780-2-007 | KHI | 20 |
| 1502 | 2722808 | PLATE:28 x 30 x 2MM THK,ALUMINIUM ALLOY | 2 F 3780-2-007 | KHI | 67 |
| 1503 | 2723018 | PLATE:28 x 30 x 1MM THK,S STEEL | 2 F 3780-2-007 | KHI | 60 |
| 1504 | 2723106 | STRIP:40 x 715 x 3.5MM THK,HARDBOARD | 2 F 3780-2-007 | KHI | 2 |
| 1505 | 2723202 | STRIP:40 x 410 x 3.5MM THK,HARDBOARD | 2 F 3780-2-007 | KHI | 5 |
| 1506 | 2723309 | PANE:U-SHAPED,GREEN MELAMINE | N 2823 | KHI | 1 |
| 1507 | 2723405 | STRIP:50 x 1120 x 1MM THK,YELLOW MELAMIN | N 6828 | KHI | 2 |
| 1508 | 2723501 | STRIP:65 x 780 x 1MM THK,YELLOW MELAMINE | N 6813 | KHI | 2 |
| 1509 | 2723608 | CAP:RUBBER FOR A/C DRAIN PIPE | N 6813 | KHI | 5 |
| 1510 | 2723704 | STRIP:30 x 1000 x 5.5MM THK,PVC | N 6813 | KHI | 3 |
| 1511 | 2723819 | STRIP:30 x 1000 x 3MM THK,PVC | N 6813 | KHI | 11 |
| 1512 | 2723907 | STRIP:23 x 1885 x 2MM THK,S STEEL | L 3505 | KHI | 1 |
| 1513 | 2724002 | STRIP:40 x 1040 x 3.5MM THK,A ALLOY | S 0601 | KHI | 7 |
| 1514 | 2724109 | BAR:ANGLE,44.5 x 100 x 2MM THK,A ALLOY | L 1045 | KHI | 8 |
| 1515 | 2724205 | BRACKET FOR RAIN GUTTER,S STEEL | L 1045 | KHI | 7 |
| 1516 | 2724301 | STRIP:30 x 250 x 5.5MM THK,S STEEL | C 56 | KHI | 2 |
| 1517 | 2724408 | STRIP:23 x 75 x 1MM THK,PRIMER PAINTED | L 1568 | KHI | 2 |
| 1518 | 2724504 | BAR:ANGLE,1400MM LG x 0.5MM THK,S STEEL | LY 105 | KHI | 18 |
| 1519 | 2724619 | STRIP:20 x 1380 x 1.5MM THK,S STEEL | YE 11675 | KHI | 18 |
| 1520 | 2724707 | STRIP:20 x 1400 x 1.6MM THK,A ALLOY | YE 11675 | KHI | 18 |
| 1521 | 2724803 | STRIP:20 x 1400 x 2MM THK,A ALLOY | YE 11675 | KHI | 12 |
| 1522 | 2724918 | STRIP:30 x 200 x 3MM THK,PRIMER PAINTED | G 919 | KHI | 2 |
| 1523 | 2725005 | PLATE:30 x 900 x 4.5MM THK,S STEEL | C-105 | KHI | 4 |
| 1524 | 2725101 | PLATE:30 x 200 x 1MM THK,PRIMER PAINTED | G 920 | KHI | 4 |
| 1525 | 2725208 | PLATE:25 x 75 x 2MM THK,PRIMER PAINTED S | L 1567 | KHI | 2 |
| 1526 | 2725304 | PLATE:31 x 46 x 0.5MM THK,SUS 304CP | C 184 | KHI | 2 |
| 1527 | 2725419 | PLATE:26 x 31 x 2MM THK,S STEEL | L 1580 | KHI | 2 |
| 1528 | 2725507 | PLATE:50 x 90 x 1.5MM THK,S STEEL | L 3513 | KHI | 4 |
| 1529 | 2725603 | PLATE:30 x 152 x 6MM THK,S STEEL | C 53 | KHI | 2 |
| 1530 | 2725718 | PLATE:30 x 154 x 6MM THK,S STEEL | C 54 | KHI | 2 |
| 1531 | 2725806 | PLATE:14 x 215 x 1MM THK,ALUMINIUM ALLOY | L 1535 | KHI | 2 |
| 1532 | 2725902 | PLATE:14 x 350 x 1MM THK,ALUMINIUM ALLOY | L 1537 | KHI | 2 |
| 1533 | 2726008 | PLATE:30 x 155 x 6MM THK,S STEEL | C 55 | KHI | 2 |
| 1534 | 2726104 | BRACKET:60 x 6MM THK,PRIMER PAINTED STEE | C 55 | KHI | 6 |
| 1535 | 2726219 | BRACKET:80 x 3.5MM THK,PRIMER PAINTED ST | C 55 | KHI | 4 |
| 1536 | 2726307 | COVER:ACCESS COVER FOR WINCHING UNIT,S S | C 55 | KHI | 2 |
| 1537 | 2726403 | BRACKET,2MM THK,ALUMINIUM ALLOY | M 24 A 2519 | KHI | 1 |
| 1538 | 2726518 | BRACKET,PAINTED GREY STEEL | M 24 A 2519 | KHI | 4 |
| 1539 | 2726606 | PLATE:35 x 72 x 3.5MM THK,PAINTED GREY S | G 945 | KHI | 3 |
| 1540 | 2726702 | PLATE:30 x 95 x 1MM THK,PAINTED BLACK ST | L 6476 | KHI | 4 |
| 1541 | 2726809 | PLATE:30 x 95 x 2MM THK,PAINTED BLACK ST | L 6475 | KHI | 6 |
| 1542 | 2726905 | BAR:ANGLE,57 x 152 x 1.5MM THK,S STEEL | L 3015 | KHI | 3 |
| 1543 | 2727019 | BRACKET FOR MICROWAVE ANTENNA,STEEL | 8-065 | KHI | 2 |
| 853 | 1892506 | GLAND:FOR MANIFOLD BALL VALVE | J80067/92 | WBL | 10 |
| 1545 | 2738519 | PACKING:FOR SIDE LAMP | E9M01014 | X | 236 |
| 1546 | 2787118 | WASHER "DUBO" 1/2 x 1/4 x 0.118 THK,NYLO | - | NICHICON | 350 |
| 972 | 1961604 | CARD FRAME KIT | D85388/014 | WBL | 2 |
| 1548 | 2788006 | CONNECTOR: | JA06L-48-J7SC-11B1-(| KHI | 1 |
| 1549 | 2788604 | CONNECTOR,HIGH VOLTAGE:MALE & FEMALE | - | YUTAKA | 1 |
| 1550 | 2789818 | PCB:MOTHERBOARD COMPLETE | D85491/001 | WBS | 2 |
| 1551 | 2799602 | CLAMP,WIRING:ST STEEL | - | KHI | 12 |
| 1552 | 2800802 | SWITCH,MODE SELECTOR:COMM CONTROL BOX | QE4301-305 | JAE | 25 |
| 1553 | 2802509 | PANEL,SWITCH: | UT-55F | TOYO | 1 |
| 1554 | 2802808 | JOINT,ANGLE: | 641634 | DUEWAG | 31 |
| 1555 | 2821304 | CARTRIDGE-C FOR BEARING HOUSING OF T/M | HL 19846004 | MELCO | 6 |
| 1556 | 2841401 | TERMINAL BLOCK,H.B. LINE BREAKER | HJ33527011 | MELCO | 18 |
| 1557 | 2865403 | CONTROLLER:ELECTRICAL FOR JKG AIR DRYER | - | CHANGZHO | 2 |
| 1558 | 2867206 | SPRING:TOGGLE SPRING,GREEN CODED FOR GOV | J 80077/28 | WBS | 30 |
| 1559 | 2867302 | SPRING:TOGGLE SPRING,RED CODED FOR GOVER | J 80077/29 | WBS | 43 |
| 1560 | 2876903 | PLUG:QUICK CONNECTION COUPLING PLUG,1/4" | PM-20:1/4 | NITTO | 23 |
| 1561 | 2877009 | PIN:2.3 o/d x 8MM LG,SOLID TYPE,SS 400 S | 60-2.3 X 8 H 100 | HOERBIGE | 81 |

| | | | | | |
|------|---------|--|----------------------|------------|-------|
| 1562 | 2878204 | PLATE:TAPPER PLATE FOR SHED RECEPTACLE G | 60-2.3 X 8 H 100 | HOERBIGE | 29 |
| 1563 | 2886618 | CAPACITOR | FPABA | SHIZUKI | 10 |
| 1564 | 2889106 | ELBOW,UNION:1/8 X 6,SUS | - | NABCO | 4 |
| 1565 | 2889202 | UNION:1/4 X 6,SUS | - | NABCO | 2 |
| 1566 | 2889309 | ELBOW,UNION:1/8 X 6,SUS | - | NABCO | 8 |
| 1567 | 2890107 | STOP: | 612022 | DUEWAG | 19 |
| 1568 | 2898301 | FILTER ELEMENT:FOR INSPECTION GLASS | B 90761 | KNORR | 3 |
| 1569 | 2934704 | RESISTOR,FIXED,FILM:JRM GH60W 20 OHM J | HN21302-9 | KHI | 16 |
| 1570 | 2944718 | WASHER,SPRING:M16 x 3MM THK,STEEL,BLACK | HN21302-9 | KHI | 540 |
| 974 | 1967504 | PIPE FOR DT CAR BRAKE FRAME | D76700/001 | WBL | 10 |
| 1072 | 2020806 | BRAKE FRAME FOR M2-CAR | D76673/002 | WBL | 1 |
| 1573 | 3036009 | PIN:DOWEL PIN,16MM DIA x 40MM LG,ALLOY S | DIN 6325-ST-GEH | SCHAKU | 20 |
| 1574 | 3079818 | RESERVOIR,AIR:C/W PIPE FITTINGS,25 LITRE | 1791311983301 | NABCO | 12 |
| 1296 | 2517003 | STRAINER:FOR AUTO DRAIN VALVE | C76975/147 | WBL | 11 |
| 1576 | 3204818 | O-RING:12.5MM ID X 2.2MM DIA C/S,NEOPREN | PWK3B2C102-2 | NITSUKO | 67 |
| 1577 | 3207904 | BRUSH:KNOT TYPE END,16MM DIA,COPPER BRIS | PWK3B2C102-2 | NITSUKO | 17 |
| 1578 | 3210601 | COUPLING:UNION,3/8" COMPRESSION,BRASS | PWK3B2C102-2 | NITSUKO | 2 |
| 1579 | 3210708 | COUPLING:UNION,5/8" COMPRESSION,BRASS | PWK3B2C102-2 | NITSUKO | 2 |
| 1580 | 3210919 | COUPLING:UNION,1 3/8" COMPRESSION,BRASS | PWK3B2C102-2 | NITSUKO | 2 |
| 1581 | 3229708 | RESERVOIR,AIR:5 LITRES,140MM DIA X 420MM | 179979 | NABCO | 4 |
| 1582 | 3229804 | RESERVOIR,AIR:20 LITRES,254MM DIA X 450M | 179992 | NABCO | 4 |
| 1583 | 3229919 | RESERVOIR,AIR:25 LITRES,200MM DIA X 880M | 119833-1 | NABCO | 24 |
| 1584 | 3230506 | BOX:DT-CAR No.1 END LOW VOLTAGE JUNCTION | 1 U 4077-0-000 | KHI | 1 |
| 1585 | 3230602 | BOX:M1 & M2-CAR No.1 END LOW VOLTAGE J/B | 1 U 4079-2-000 | KHI | 2 |
| 1586 | 3230805 | BLOCK:TERMINAL BLOCK,1 POLE FOR JUNCTION | 2 V 3915-0-000 | KHI | 24 |
| 1587 | 3238006 | RING,FLAT:25MM ID X 28MM OD X 1.5MM THK, | 2 V 3915-0-000 | KHI | 30 |
| 1297 | 2517118 | GASKET: | C76975/148 | WBL | 11 |
| 1544 | 2738105 | GUARD,FAN:FOR AIR COMPRESSOR | - | WBL | 34 |
| 1590 | 3325302 | SWITCH,MICRO:SNAP,2 POLES,2 THROW,110VDC | CLASS 9007 TYPE CO-3 | SQUARE D | 47 |
| 1591 | 3342102 | PLATE:THREADED LOCK,FOR DOOR BRACKET | N-0720 | NARITA | 572 |
| 1592 | 3369209 | LUBRICATING OIL:200 - 209 LT/DRUM | CORENA P100 | SHELL | 418 |
| 1593 | 3462307 | GROMMET STRIP (2):FOR EMU HEADLIGHT ASSY | - | ISOLANTS | 58 |
| 1594 | 3481209 | LINER:SHIM PLATE LINER,80 x 25,2 PCS PER | 0 F 0046-1-039 | KHI | 40 |
| 1595 | 3483802 | RIVET:HI-SHEAR STRUCTURAL | 2711-0817 | GRIPWELL | 1,904 |
| 1596 | 3529102 | SEAL:BONDED SEAL FOR 3/8 BSP | 30203 | X | 278 |
| 1597 | 3529209 | SEAL:BONDED SEAL FOR 3/4 BSP | 30206 | X | 255 |
| 1598 | 4000099 | BARREL FOR CANNON CONNECTOR | 30206 | X | 50 |
| 1599 | 4000100 | PLUG,TAPER:M10 X 1 | 759-012-28-200 | RENOLD | 168 |
| 1600 | 4001217 | SEALING STRIP:FOR HATCH COVER | 0 L 0084-0-024 | KHI | 252 |
| 1601 | 4001218 | SEALING STRIP:FOR HATCH COVER | 0 L 0084-0-034 | KHI | 264 |
| 1602 | 4001219 | SEALING STRIP:V-PROFILED | 0 L 0084-0-031 | KHI | 271 |
| 1603 | 4001220 | PACKING STRIP:FOR FILTER COVER | 1 L 2902-1-004 | KHI | 84 |
| 1604 | 4001221 | PACKING STRIP:FOR FILTER COVER | 1 L 2902-1-006 | KHI | 96 |
| 1605 | 4001224 | PACKING STRIP:FOR MOTOR | 1 L 2902-2-005 | KHI | 144 |
| 1606 | 4001225 | PACKING STRIP:FOR MOTOR | 1 L 2902-2-007 | KHI | 144 |
| 1607 | 4001711 | PANEL,CEILING: | 1L2932-3A 000 | KHI | 5 |
| 1608 | 4002114 | WIRING (A-SIDE) | 1L5846-0-000 | KHI | 1 |
| 1609 | 4002115 | WIRING (B-SIDE) | 1L5846-0-000 | KHI | 1 |
| 1610 | 4002408 | LED FOR SIDE LAMP,DC24V SOURCE,3000 med | 513 URC | MASTERINST | 500 |
| 1611 | 4002410 | DETECTOR,SLIP/SLIDE TYPE:MS-367(PROTOTYP | RL09978L01 | MELCO | 3 |
| 1612 | 4002544 | PCB FOR GATE AMPLIFIER UNIT | HW41702G03 | MELCO | 3 |
| 1613 | 4002545 | MODULE,TRANSISTOR,QM50DZ-H,AMPLIFIER UNI | HR82047000 | MELCO | 46 |
| 1614 | 4002549 | GATE TRANSFORMER,GC-71D -AMPLIFIER UNIT | HW51012G02 | MELCO | 3 |
| 1615 | 4002654 | PLATE,SLIDING:FOR FOOT-PLATE ASSY | N-1370 | NARITA | 20 |
| 1616 | 4006253 | SCREW,SOCKET HEAD CAP:M8 x 1.25P x 12MM | BN 15 | BOSSARD | 100 |
| 1617 | 4006374 | SEPARATOR,WATER:C/W MOUNTING BRACKET | TF-S360 | DOMNICK | 5 |
| 1618 | 4006461 | LED UNIT:RED,24V,FOR MODEL KHE-24C-4R | UA-24HD-R | KIMDEN | 12 |
| 1619 | 4006462 | LED UNIT:GREEN,24V,FOR MODEL KHE-24C-4G | UA-24HD-G | KIMDEN | 12 |
| 1620 | 4006463 | LED UNIT:ORANGE,24V,FOR MODEL KHE-24C-4O | UA-24HD-O | KIMDEN | 12 |
| 1621 | 4006466 | DIODE:FOR GTO STACK ASSEMBLY,KHI TRAIN | SR202AH-50R-230 | MITSUBI | 5 |
| 1622 | 4006992 | WASHER:30.97 OD X 26.90 ID x 1.12MM THK | SR202AH-50R-230 | MITSUBI | 30 |
| 1623 | 4006993 | WASHER:31.47 OD X 27.40 ID x 1.12MM THK | SR202AH-50R-230 | MITSUBI | 30 |
| 1624 | 4006994 | RING,SNAP:31.75MM DIA | SR202AH-50R-230 | MITSUBI | 50 |
| 1625 | 4006995 | RING,SNAP:30.17MM DIA | SR202AH-50R-230 | MITSUBI | 50 |
| 1626 | 4007013 | CAP,METAL:FOR CAB DOOR SENSING SWITCH | SR202AH-50R-230 | MITSUBI | 6 |
| 1627 | 4007091 | SPRING,COMPRESSION: | QM100HC-M | MITSUBI | 50 |
| 1628 | 4007159 | MOVING PART SUB ASSY B:HB-2921 | - | MELCO | 2 |
| 1629 | 4007160 | MOVING PART SUB ASSY B:HB-2621 | - | MELCO | 2 |
| 1630 | 4007287 | DIODE:V03J,FOR RELAY UNIT | HN20913000 | MELCO | 490 |
| 1631 | 4007363 | RESISTOR,SERIES:7.5K OHMJ,300W,FOR DCPT | HW54040004 | MELCO | 5 |
| 1632 | 4007364 | FILTER,NOISE:ZAC2205-00,POWER SUPPLY | HW51177009 | MELCO | 6 |

| | | | | | |
|------|---------|---|----------------------|------------|-----|
| 1633 | 4009039 | SECURE MEMORY | ZA 534058 | FAIVELEY | 5 |
| 1634 | 4009294 | SWITCH,MICRO:0.5A 125VDC,0.25A 250VDC | D4MC-5040 | OMRON | 12 |
| 1635 | 4010536 | DOOR,EMERGENCY (A) | - | NEO | 2 |
| 1636 | 4010567 | FUSE ASSEMBLY | SVP03086 | CARBONE | 6 |
| 1637 | 4010595 | TIMER RELAY DELAY W/4 C/O,MAGN ARC BLOW | TDB4-U204-Q 6-60S(20 | AMPHENOL | 3 |
| 1638 | 4010611 | CONTACTOR BOARD | - | SAM WON FA | 1 |
| 1639 | 4010612 | PANEL,LFCB | - | SAM WON FA | 2 |
| 1640 | 4010614 | PANEL,SEALED SWITCH | - | OHSUNG | 1 |
| 1641 | 4010617 | SWITCH PANEL C | - | SAM WON FA | 2 |
| 1642 | 4010618 | SWITCH PANEL D | - | SAM WON FA | 1 |
| 1643 | 4010620 | PANEL,NFB | - | OHSUNG | 1 |
| 1644 | 4010621 | PANEL,PUSH BUTTON SWITCH | - | OHSUNG | 1 |
| 1645 | 4010622 | SWITCH PANEL A,ASSY | - | OHSUNG | 2 |
| 1646 | 4010623 | PANEL,CAM SWITCH | - | OHSUNG | 1 |
| 1647 | 4010627 | VOICE RECORDING SYSTEM (VRS) | Q-C9013X | TOA | 3 |
| 1648 | 4010628 | AMBIENT NOISE MONITORING UNIT (ANM) | Q-M9011X | TOA | 3 |
| 1649 | 4010660 | TRANSDUCER,CURRENT | LF205-S/SP1 | LEM | 12 |
| 1650 | 4010663 | RELAY FOR APS | SVP03426 | ROTEM | 10 |
| 1651 | 4010669 | LENS,GANGWAY LIGHT | KA-10599 | ROTEM | 48 |
| 1652 | 4011078 | DC/DC CONVERTER CARD:INPUT 110VDC,0.5A | SMR 30-110/1212-6U-R | ABSOPULSE | 6 |
| 1653 | 4011255 | PLATE,INTERFACE:FOR DMV SOLENOID VALVE | SPSG/00701 | NORGREN | 72 |
| 1654 | 4011444 | CONNECTOR:FOR AMPLIFIER ASSY (PIN) | 1403251900 | MELCO | 14 |
| 1655 | 4013342 | CLIP,U-BOLT WIRE ROPE:C/W STEEL SADDLE | 1403251900 | MELCO | 150 |
| 1656 | 4017237 | BLOCK,SOLENOID VALVE MOUNTING:TWIN AIR | C77028/001 | KNORR | 10 |